

2864 1860

PLANTÆ FAVERSHAMIENSES.

A

CATALOGUE

OF THE

MORE PERFECT

PLANTS

Growing ſpontaneouſly about

FAVERSHAM,

IN THE

COUNTY OF KENT.

WITH AN

APPENDIX

Exhibiting a SHORT VIEW of the

FOSSIL BODIES

OF THE ADJACENT

ISLAND OF SHEPEY.

By EDWARD JACOB, Eſq; F. S. A.

Conſider the Lillies of the Field how they grow — Matt. vii. 28.

LONDON:
Printed for the AUTHOR; by J. MARCH, on Tower-Hill.
Sold by B. WHITE, at HORACE's-HEAD, FLEET-STREET;
and T. EVANS, PATER-NOSTER-ROW.

M,DCC,LXXVII.

30115/B

12860

WELLCOME
HISTORICAL
MEDICAL
LIBRARY

TO

Mr. JOHN WHITE,

MERCHANT OF LONDON,

IN A GRATEFUL SENSE OF HIS

LONG AND SINGULAR

FRIENDSHIP.

THIS LITTLE WORK

IS MOST RESPECTFULLY INSCRIBED

BY HIS EVER OBLIGED,

AND VERY HUMBLE SERVANT,

EDWARD JACOB.

Faverſham,
Aug. 10, 1777.

Neſcio quid faſcinaverit noſtros ut tota mens trahatur ad peregrinas plantas, illæ vero quas pedibus conculcamus, omnino relinquuntur.

C. Linnæi Bibl. Botan. p. 24.

PREFACE.

THE enſuing Collection of PLANTS was begun many Years ſince upon the Baſis of the late Rev. Mr. Bateman's *Catalogue, with whom, in the early part of Life, the Author made ſeveral Botanical Excurſions hereabouts; and it hath gradually kept increaſing ever ſince, as the conſtant Viſits, in the way of his Profeſſion, to different Parts, gave him opportunities of ſearching after them. It was ever intended for his own private Uſe and inſtructive Entertainment, till lately, at the recommendation of ſeveral Gentlemen well verſed in Botany, it hath been reviſed and digeſted, and is now offered to the Lovers of that Science, as a means, however ſmall, of promoting the topical Knowledge of* Engliſh *Plants; if it ſhall prove agreeable to their Taſte, he will think himſelf amply rewarded for his Pains.*

The great Promoter of its publication was the late worthy Richard Warner, *Eſq; of* Wood-ford-Row, *in* Eſſex, *who not only permiteed the free*

free Use of his Plantæ Woodfordienſes, *(without the Aid of which, and Mr.* Hudſon's *excellent* Flora Anglica, *it would never have been undertaken) but alſo aſſiſted the Author in the Proſecution of it, and above all, introduced him to the acquaintance of that accurate Botaniſt, Mr.* Alchorne, *Aſſay-Maſter of the Mint, whoſe kind Informations and Corrections have been of the greateſt Advantage.*

The principal Inducement for the Publication was to rectify the Account given in Mr. Black-ſton's Specimen Botanicum, *taken from Mr.* Bateman's M.S. *Catalogue of near Two Hundred Plants growing about this Town, becauſe many of the rare ones at this time, are not to be found in the Places therein referred to, which have of late been often diligently ſearched in hope of retrieving them, as they would have added much to this Work, but in vain.*

In the Courſe of about Seventy Years ſince that Catalogue was made, many Cauſes and Accidents may be aſſigned for the loſs of ſome of the rare Plants there mentioned, yet none greater than the induſtrious hand of improving Huſbandry. Mr. Bateman *might poſſibly have been miſtaken in others,*

others, and possibly too some may be overlooked by the Author, who is not so conceited as to think he hath discovered all the Plants growing round him. Those Gentlemen who are fond of the Study must be sensible, that a single Person, whose necessary attention in the different Branches of his Profession was fully engaged, could not afford sufficient Leisure, however fervent his Inclination might be, to search at proper Seasons every corner of a District Five or Six Miles Diameter, when even the great Mr. Ray *could make considerable Additions to the first Catalogue of his* Cambridgeshire *Plants, and yet leave many unobserved, to be added thereto by Dr.* Martyn, *and others.*

In order, however, to supply his Deficiencies, the Author hath inserted some few rare Plants discovered at a greater distance in the Eastern parts of the County, either by himself, or communicated to him by his obliging Friends, Mr. Alchorne, *the Rev. Mr.* Jones, *of* Pluckley, *and Mr.* Boys *of* Sandwich, *for which Favours he begs they will be pleased to accept his most grateful Acknowledgements.*

As

PREFACE.

As he hath compoſed his Catalogue upon Mr. Warner's *alphabetical Plan, he hopes the Preference given to Mr.* Ray's *Names will be pardoned by the more ſcientific Botaniſts, eſpecially as he hath printed an Index of thoſe of* Linnæus.

The Appendix, giving a ſhort Account of the Shepey *Foſſils, it is preſumed will not be deemed an improper Addition, by the Lovers of Natural Hiſtory, as hitherto no particular one hath been offered to their Notice, although ſo well deſerving of it.*

The Plate of the Author is the unexpected Donation of an obliging Friend.

The ABBREVIATIONS explained.

R. S. J. Raii Synopſis Stirpium Britannicarum. Ed. III. 1724.

H. F. Gul. Hudſoni Flora Anglica. 1762.

A. Annual. B. Biennial. P. Perennial. S. Shrub, or Tree.

The Month (as March, &c.) denotes the Time of the Plants flowering.

* This Mark placed before a Plant, although found wild, ſhews it moſt probably to have originated from Seed diſperſed by Birds, or otherwiſe from Gardens.

PLANTÆ FAVERSHAMIENSES.

A

ABSINTHIUM marinum album. R. S. 188.
ARTEMISIA *maritima*. H.F. 311.
White Sea-Wormwood.
In the Salt Marſhes—very common. Auguſt. P.

ABSINTHIUM vulgare. R. S. 188.
ARTEMISIA *Abſinthium*. H.F. 311.
Common Wormwood.
In Farm-yards and on dry banks—common. Auguſt. P.

* ACER majus. R. S. 407.
ACER *Pſeudo-Platanus*. H.F. 378.
The greater Maple or Sycamore Tree.
In a Hedge near Brenly *and* Hanſlets Forſtal — *very uncommon.* May. S.

ACER minus. R. S. 470.
ACER *campeſtre*. H. F. 379.
The Common Maple.
In Hedges—very common. May S.

ACINOS. R. S. 238.
THYMUS *Acinos.* H. F. 230.
Wild Basil.
On Badgen *Downs — plentifully.* July. A.

ADIANTUM nigrum Officinarum. R.S. 126.
ASPLENIUM *Adiantum-nigrum.* H.F. 386.
Common black Maiden-hair.
On the hollow sandy Banks in Bysing Wood *and* Hernhill—*not common.* P.

AGRIFOLIUM. R. S. 466.
ILEX *Aquifolium.* H. F. 505.
The Holly Tree.
In Woods and Hedges—common. May. S.

AGRIMONIA. R. S. 202.
AGRIMONIA *Eupatoria.* H. F. 180.
Agrimony.
On the Sides of Fields and under Hedges — very common. June. S.

ALCEA vulgaris. R. S. 252.
MALVA *Alcea.* H. F. 268.
Vervain Mallow.
In Pastures at Graveney *and* Hernhill — *not common.* August. P.

ALLIUM

ALLIUM ſylveſtre. R. S. 369.
ALLIUM *vineale*. H. F. 121.
Crow-Garlick.
On the Wall that leads to Thorn Creek — *plentifully*.
June. P.

ALLIUM ſylveſtre latifolium. R. S. 370.
ALLIUM *urſinum*. H. F. 122.
Ramſons.
Amongſt the Alders near Hernhill-Church — *plentifully*. May. P.

ALNUS. R. S. 442.
BETULA *Alnus*. H. F. 506.
The Common Alder.
In moiſt Places—very common. July. S.

ALSINE hirſuta Myoſotis. R. S. 349.
CERASTIUM *vulgatum*. H. F. 175.
Narrow-leaved Mouſe-ear Chickweed.
In Fields and Meadows—common. May. A.

ALSINE hirſuta Myoſotis latifolia præcocior. R. S. 348.
CERASTIUM *viſcoſum*. H. F. 175.
The broader leaved Mouſe-ear Chickweed.
On the Walls of the Abbey— common. April. A.

ALSINE major repens perennis. R. S. 347.
CERASTIUM *aquaticum*. H. F. 177.
Great Marſh Chickweed.
In Davington *Brooks, and at* Goodneſtone — *not common.* July. P.

ALSINE marina foliis portulacæ. R.S. 351.
ARENARIA *peploides*. H. F. 167.
Sea Chickweed.
On Shellneſs *in* Shepey—*not common.* July. P.

ALSINE minor multicaulis. R. S. 349.
ARENARIA *ſerpyllifolia*. H. F. 167.
The leaſt Chickweed.
On Roofs of old Houſes and on old Walls — common. May. A.

ALSINE ſpergula dicta major. R. S. 351.
SPERGULA *arvenſis*. H. F. 177.
Corn Spurrey.
On ſandy Grounds in Hern-Hill—*common.* July. A.

ALSINE ſpergulæ facie media. R. S. 351.
ARENARIA *marina*. H. F. 169.
Sea Spurrey.
On the Paths to Holly Shore—*common.* June. A.

ALSINE foliis caryophylleis. R. S. 344.
SAGINA *erecta*. H. F. 64.
The leaſt Stichwort.
In Nagden Marſhes—*not common*. May. A.

ALSINELLA muſcoſo flore repens. R. S. 345.
SAGINA *procumbens*. H. F. 63.
Pin Pearl-wort, Chickweed breakſtone.
On old Walls about the Town—common. June. A.

ALTHÆA vulgaris. R. S. 252.
ALTHÆA *officinalis*. H. F. 267.
Marſh-Mallow.
In the Marſhes at Clapgate *and* Goodneſtone—*common*. Auguſt. P.

ANACAMPSEROS, vulgo Faba craſſa. R.S. 269.
SEDUM *Telephium*. H. F. 170.
Orpine, or Live-long.
In Byſing *and* Cockſet *Woods — not common*. Auguſt. P.

ANAGALLIS flore phœniceo. R. S. 282.
ANAGALLIS *arvenſis*. H. F. 73.
Male Pimpernel.
In Fields and Gardens—common. May—Auguſt. A.

ANAGALLIS lutea. R. S. 282.
LYSIMACHIA *nemorum*. H. F. 73.
Yellow Pimpernel.
In Jud's Wood, Oſpringe—*uncommon*. June. P.

ANBLATUM Cordi ſive Aphyllon. R. S.*288.
LATHRÆA *Squamaria.* H.F. 233.
Toothwort.
Under Hedges near Mr. Jenning's *Houſe in* Pluckley —*very uncommon.* April. P.

ANEMONE nemorum. R. S. 259.
ANEMONE *nemoroſa.* H. F. 208.
Wood Anemony.
In Woods and Hedges—very common. April. P.

ANGELICA ſylveſtris. R. S. 208.
ANGELICA *ſylveſtris.* H. F. 103.
Wild Angelica.
Near Stone-Bridge, *and in* Byſing Wood — *not common.* July. P.

ANGELICA ſylveſtris minor ſeu erratica. R.S.208.
ÆGOPODIUM *Podagraria.* H. F. 111.
Herb Gerard, Gout-weed, or Aſh-weed.
In Gardens and under Hedges, near Boughton Church —*not common.* May. P.

ANONIS maritima procumbens. R. S. 332.
ONONIS *repens.* H. F. 273.
Creeping Reſt-harrow.
On the Sand-Downs near Deal—*uncommon.* July. P.

ANONIS ſpinoſa flore purpureo. R. S. 332.
ONONIS *ſpinoſa.* H. F. 273.
Reſt-harrow, Cammock, Petty Whin.
In the Marſhes at Clapgate—*common.* July. P.

ANONIS non ſpinoſa. R. S. 332.
ONONIS *arvenſis.* H. F. 273.
Corn Reſt-harrow, or Cammock.
In Corn Fields at Preſton *and* Oſpringe—*common.* July. P.

ANTIRRHINUM majus. R. S. omittitur.
ANTIRRIHINUM *majus.* H. F. 239.
The greater Snap-Dragon.
On old Walls about the Town—common. June to September. P.

APARINE. R. S. 225.
GALIUM *Aparine.* H. F. 57.
Cleavers, or Gooſe-graſs.
Under Hedges—very common. Auguſt. A.

APARINE paluſtris minor Pariſienſis. R. S. 225.
GALIUM *uliginoſum.* H. F. 56.
Marſh Gooſe-graſs.
At the Bottom of Jud's Wood *in* Oſpringe — *uncommon.* Auguſt. P.

APIUM paluſtre et officinarum. R. S. 214.
APIUM *graveolens.* H. F. 111.
Smallage.
About the Sluice Bridge *and the* Keys—*very common.*
Auguſt. B.

AQUILEGIA flore ſimplici. R. S. 273.
AQUILEGIA *vulgaris.* H. F. 207.
Common Columbines.
In Badgen Wood, *and beyond* Whitehill, Oſpringe—*not common.* June. P.

ARTEMISIA vulgaris. R. S. 190.
ARTEMISIA *vulgaris.* H. F. 312.
Mugwort.
Under Hedges and on the Sides of Fields—very common.
Auguſt. P.

ARUM. R. S. 266.
ARUM *maculatum.* H. F. 342.
Wake-Robin, Cuckow-Pint, Lords and Ladies.
In ſhady Places and under Hedges—very common.
May. P.

ASPERULA. R. S. 224.
ASPERULA *odorata.* H. F. 55.
Woodroof.
In Oſpringe Woods—*plentifully.* May. P.

ASPLE-

ASPLENIUM. R. S. 118.
ASPLENIUM *Ceterach.* H. F. 385.
Spleen-wort, Milt-waſt.
On Lenham *Church Wall — lately loſt on the Walls of our* Abbey. P.

ASTER maritimus cæruleus. R. S. 175.
ASTER *Tripolium.* H. F. 319.
Sea Star-wort.
In the Salt Marſhes—plentifully. Auguſt. P.

ASTER arvenſis cæruleus acris. R. S. 175.
ERIGERON *acre.* H. F. 314.
Blue flowered Flea-bane.
On old Walls and on dry Banks—common. Auguſt. P.

ASTER maritimus flavus, Crithmum chryſanthemum dictus. R. S. 174.
INULA *chrithmoides.* H. F. 320.
Golden Sampire.
In the Marſhes of Shepey—*uncommon.* Auguſt. P.

ASTRAGALUS luteus. R. S. 326.
ASTRAGALUS *glycyphyllos.* H. F. 281.
Wild Liquorice, or Liquorice Vetch.
Under Hedges in Peaſedown, *near* Whitehill, Oſpringe —*uncommon.* July. P.

ATRIPLEX anguſtifolia maritima dentata. R. S. 152.
ATRIPLEX *ſerrata.* H. F. 377.
Narrow leaved Orache.
Near Sheerneſs *in* Shepey—*uncommon.* Auguſt. A.

ATRIPLEX anguſtiſſimo et longiſſimo folio. R. S. 153.
ATRIPLEX *litoralis.* H. F. 378.
Graſs-leaved Orache.
Near Ramſgate Pier *in* Thanet —— *uncommon.* Auguſt. A.

ATRIPLEX maritima. R. S. 152.
ATRIPLEX *laciniata.* H. F. 376.
Jagged Sea Orache.
Near Sheerneſs *in* Shepey—*uncommon.* Auguſt. A.

ATRIPLEX ſylveſtris anguſtifolia. R. S. 151.
ATRIPLEX *patula.* H. F. 377.
Narrow leaved wild Orache.
In Gardens and on Dunghills—common. Auguſt. A.

ATRIPLEX ſylveſtris folio haſtato ſeu deltoide. R. S. 151.
ATRIPLEX *haſtata.* H. F. 377.
Wild Orache with a ſpear pointed Leaf.
In Gardens and waſte Places — common. September. A.

ATRIPLEX

ATRIPLEX maritima ſcopariæ folio. R. S. 153.
ATRIPLEX *litoralis*. H. F. 378. β
Graſs-leaved Orache.
Near Margate Pier *in* Thanet —— *uncommon.*
Auguſt. A.

ATRIPLEX maritima fruticoſa. R. S. 153.
ATRIPLEX *portulacoides*. H. F. 376.
Sea Purſlane.
Near Harty Ferry—*plentifully.* Auguſt. P.

ATRIPLEX maritima perennis folio deltoide ſeu triangulari. R. S. 152.
ATRIPLEX *haſtata*. H. F. 377. β
Wild Sea Orache.
In the Brent *Marſhes—common.* Auguſt. A.

B.

BACCHARIS, monſpelienſium. R. S. 179.
CONYZA *ſquarroſa*. H. F. 314.
Plowman's Spikenard.
On Beacon Hill *and dry Banks — not uncommon.*
Auguſt. B.

BALLOTE. R. S. 244.
BALLOTA *nigra*. H. F. 227.
Stinking Horehound.
Under Hedges—very common. Auguſt. A.

BELLA-

BELLADONNA. R. S. 265.
ATROPA *Belladonna.* H. F. 79.
Deadly Night-ſhade, or Dwale.
Amongſt the Buſhes under Preſton-Houſe *Wall — very uncommon.* June and July. P.

BELLIS ſylveſtris minor. R. S. 184.
BELLIS *perennis.* H. F. 320.
Common Daiſy.
In Meadows — very common. From March to October. P.

BERBERIS dumetorum. R. S. 465.
BERBERIS *vulgaris.* H. F.
The Berberry-buſh, or Pipperidge-buſh.
In a Hedge beyond Queen Court, Oſpringe —— *uncommon.* May. S.

BETONICA. R. S. 238.
BETONICA *Officinalis.* H. F. 220.
Wood Betony.
In Woods and under Hedges—common. July. P.

BETA ſylveſtris maritima. R. S. 38.
BETA *vulgaris.* H. F. 93.
Sea Beet.
On the Sea Walls at Ham *and* Graveney—*uncommon.* Auguſt. B.

BETULA.

BETULA. R. S. 443.
BETULA *alba*. H. F. 354.
The Birch Tree.
In Woods—common. April. S.

BIFOLIUM majus, ſeu Ophrys major quibuſdam. R. S. 385.
OPHRYS *ovata*. H. F. 338.
Common Twayblade.
In Cockſet *and* Jud's Woods—*common.* June. P.

BLITUM Atriplex ſylveſtris dictum. R. S. 154.
CHENOPODIUM album. H. F. 91.
Common wild Orache.
In uncultivated Places, and on Rubbiſh——common. Auguſt. A.

BLITUM fœtidum Vulvaria dictum. R.S. 156.
CHENOPODIUM Vulvaria. H. F. 92.
Stinking Orache.
Under Walls about the Town—uncommon. Auguſt. A.

BLITUM Ficus folio. R. S. 155.
CHENOPODIUM *ſerotinum*. H. F. 91.
Late flowering or Fig-leaved Blite.
In Gardens and on Rubbiſh—common. A.

BLITUM Kali minus album dictum. R. S. 156.
CHENOPODIUM *maritimum*. H. F. 92.
Sea Blite, or white Glaſs-wort.
In the Salt Marſhes—common. Auguſt. A.

BLITUM perenne Bonus Henricus dictum. R. S. 156.
CHENOPODIUM *Bonus Henricus*. H.F. 89.
Common Engliſh Mercury, or All-good.
By Way-ſides in Oſpringe—*not uncommon.* July. P.

BLITUM Pes anſerinus dictum. R. S. 154.
CHENOPODIUM *murale*. H. F. 90.
Common Gooſe-foot, or Sow-bane.
In Gardens and on Rubbiſh —— not uncommon. Auguſt. A.

BLITUM Pes anſerinus dictum acutiore folio. R. S. 154.
CHENOPODIUM rubrum. H. F. 90.
Sharp-leaved Gooſe-foot, or Sow-bane.
On Dunghills and Rubbiſh—common. Auguſt. A.

BLITUM rubrum minus. R. S. 157.
AMARANTUS *Blitum*. H. F. 356.
The leaſt Blite.
On Rubbiſh and in Gardens—common. Auguſt. A.

BORRAGO

BORRAGO hortenſis. R. S. 228.
BORRAGO *officinalis*. H. F. 68.
Borrage.
On old Walls, and by Road-ſides near the Town— not common. June. P.

BORRAGO ſempervirens. R. S. 227.
ANCHUSA *ſempervirens*. H. F. 66.
Evergreen Alkanet.
On Rubbiſh near Preſton Church Yard — *very uncommon.* June. P.

BRASSICA maritima arborea ſive procerior ramoſa. R. S. 293.
BRASSICA *oleracea*. H. F 253.
Sea Cabbage.
On the Cliffs between Deal *and* Dover — *plentifully.* April. B.

BRYONIA alba. R. S. 261.
BRYONIA *alba*. H. F. 373.
White Briony.
In Hedges — common. May. P.

BUGLOSSA ſylveſtris minor. R. S. 227.
LYCOPSIS *arvenſis*. H. F. 69.
Small wild Bugloſs.
In Corn-fields near Preſton Church —— *uncommon.* May. A.

BUGLOSSUM arvenſe annuum. Lithoſpermi folio. R. S. 227.

LITHOSPERMUM *arvenſe*. H. F. 66.

Baſtard Alkanet.

In Corn-fields in Preſton *and* Hernhill —— *common* July. A.

BUGULA. R. S. 245.

AJUGA *reptans*. H. F. 219.

Bugle.

In Byſing Wood — *common*. May. P.

BULBOCASTANUM. R. S. 209.

BUNIUM *Bulbocaſtanum*. H. F. 105.

Earth-nut, or Hog-nut.

In Byſing Wood *and* Hernhill—*common*. June. P.

BUPLEURUM minimum. R. S. 221.

BUPLEURUM *tenuiſſimum*. H. F 97.

The leaſt Hare's-ear.

Near Sheerneſs *in* Shepey—*uncommon*. Auguſt. A.

BUPLEURUM perfoliatum rotundifolium annuum. R. S. 221.

BUPLEURUM *rotundifolium*. H. F. 97.

Thorow-wax.

In Corn-fields near Brogdale *in* Oſpringe—*uncommon*. July. A.

BUTO-

BURSA Paſtoris. R. S. 306.

THLASPI *Burſa Paſtoris.* H. F. 247.

Shepherd's Purſe.

In Hop Grounds, and by Road-ſides — very common. May *to* September. A.

BUTOMUS. R. S. 273.

BUTOMUS *umbellatus.* H. F. 152.

The flowering Ruſh, or Water Gladiole.

In Dykes near Pluckley—*uncommon.* June. P.

* BUXUS. R. S. 445.

BUXUS *ſempervirens.* H. F. 355.

The Box Tree.

A few large Trees near Houſes in Sheldwich — *very uncommon.* S.

C.

CAKILE quibuſdam, aliis Eruca marina et Rhaphanus marinus. R. S. 307.

BUNIAS *Cakile.*

Sea Rocket.

Near Sheerneſs *in* Shepey, *and* Cliff's End *in* Thanet — *uncommon.* June. A.

CALAMINTHA humilior folio rotundiore. R. S. 243.

GLECHOMA *hederacea.* H. F. 244.

Ground Ivy. Alehoof.

In ſhady Places, and under Hedges — very common. May. P.

CALA-

CALAMINTHA vulgaris. R. S. 243.
MELISSA *Calamintha.* H. F. 230.
Common Calamint.
By the Sides of Roads, and under Hedges — common.
Auguſt. P.

CAMPANULA rotundifolia. R. S. 277.
CAMPANULA *rotundifolia.* H. F. 80.
The leſſer round leaved Bell Flower.
By Way-ſides in Oſpringe *and* Boughton—*not common.*
Auguſt. P.

CAMPANULA vulgatior foliis urticæ. R.S. 276.
CAMPANULA *Trachelium.* H. F. 81.
Canterbury Bells, or Great Throat-wort.
In Woods and Hedges — very common.—With a white Flower in Hernhill *— very uncommon.* July. P.

CAPRIFOLIUM germanicum. R. S. 458.
LONICERA *Periclymenum.* H. F. 80.
Common Honey-ſuckle, or Woodbine.
In Woods and Hedges — very common. April to Auguſt. S.

CARDAMINE. R. S. 299.
CARDAMINE *pratenſis.* H. F. 256.
Common Ladies Smock, or Cuckow-flower.
In moiſt Meadows—very common. April. P.

CARDI-

CARDAMINE parviflora. H. F. 257.
Small flowered Ladies Smock.
In Meadows near Pluckley—*uncommon.* April. A.

CARDIACA. R. S. 239.
LEONURUS *Cardiaca.* H. F. 228.
Mother-wort.
Near Cockfet, *in* Ofpringe —— *very uncommon.*
July. B.

CARDUUS acaulos minore purpureo flore.
R. S. 195.
CARDUUS *acaulos.* H. F. 308.
Dwarf Carline Thiftle.
Upon Beacon Hill—*not uncommon.* July. P.

CARDUUS caule crifpo. R. S. 194.
CARDUUS *crifpus.* H. F. 306.
Thiftle upon Thiftle.
By the Road-fides, and on dry Banks in Ofpringe —
common. June. A.

CARDUUS lanceolatus. R. S. 195.
CARDUUS *lanceolatus.* H. F. 305.
Spear-Thiftle.
In uncultivated Ground, and under Hedges — common.
July. B.

CAR-

CARDUUS Mariæ. R. S. 195.
CARDUUS *marianus*. H. F. 307.
Milk Thiſtle, or Lady's Thiſtle.
By the Way-ſide at Davington, *and by the Sea Walls beyond* Nagden—*not uncommon*. July. A.

CARDUUS Mariæ hirſutus non maculatus. R. S. 194.
CARDUUS marianus. H. F. 307. β.
Ladies Thiſtle without Spots.
In Graveney *Marſhes — uncommon*. July. A.

CARDUUS nutans. R. S. 193.
CARDUUS *nutans*. H. F. 306.
Muſk Thiſtle.
On Badgen Downs — *plentifully*. July. B.

CARDUUS paluſtris. R. S. 194.
CARDUUS *paluſtris*. H. F. 306.
Marſh Thiſtle.
In the Marſhes — common. July. B.

CARDUUS ſpinoſiſſimus capitulis minoribus. R. S. 194.
CARDUUS *acanthoides*. H. F. 306.
Welted Thiſtle with ſmall Flowers.
Upon Graveney *Marſh Sea Wall—common*. July. A.

CAR-

CARDUUS ſtellatus. R. S. 176.
CENTAUREA *Calcitrapa.* H. F. 326.
Star Thiſtle.
In Graveney *Marſhes — common.* July. A.

CARDUUS tomentoſus Acanthium dictus vulgaris. R. S. 196.
ONOPORDUM *Acanthium.* H. F. 308.
Cotton Thiſtle.
In uncultivated Places, and by the Road-ſide—common. July. B.

CARDUUS vulgatiſſimus viarum. R. S. 194.
SERRATULA *arvenſis.* H. F. 305.
Common Way-Thiſtle, or Creeping Thiſtle.
In Fields and Byways — very common. July. P.

CARLINA ſylveſtris quibuſdam, aliis Atractilis. R. S. 175.
CARLINA vulgaris. H. F. 309.
The common wild Carline Thiſtle.
In dry Fields and Paſtures — common. June. B.

CARYOPHYLLATA. R. S. 253.
GEUM *urbanum.* H. F. 198.
Herb Bennet, or Common Avens.
In Woods, and under Hedges—common. July. P.

CARY-

CARYOPHYLLATA montana purpurea. R. S. 253.

GEUM *rivale*. H. F. 198.

Water Avens.

In a Wood near Barber's Mill *in* Hothfield — *very uncommon*. July. P.

CARYOPHYLLUS holoſteus arvenſis glaber flore majore. R. S. 346.

STELLARIA *Holoſtea*. H. F. 166.

The greater Stich-wort.

Under Hedges, and on the Sides of Fields — *very common*. April. P.

CARYOPHYLLUS holoſteus arvenſis glaber flore minore. R. S. 346.

STELLARIA *graminea*. H. F. 166.

The leſſer Stich-wort.

Under Hedges, chiefly on a dry Soil—common. July. P.

CARYOPHYLLUS holoſteus arvenſis medius. R. S. 347.

STELLARIA *graminea*. H. F. 166. β.

The middle Stich-wort.

Upon Beacon Hill — *not uncommon*. July. P.

CARYOPHYLLUS latifolius barbatus minor annuus flore minore. R. S. 337.

DIANTHUS *Armeria*. H. F. 161.

Deptford Pink.

On Beacon Hill, *and dry Paſtures in* Oſpringe — *not uncommon*. July. A.

CAS-

CASTANEA. R. S. 440.
FAGUS *Caſtanea*. H. F. 359.
The Cheſnut Tree.
In Byſing *and other* Woods—*not uncommon*. May. S.

CATANANCE leguminoſa quorundam. R. S. 325.
LATHYRUS *Niſſolia*. H. F. 275.
Crimſon Graſs-Vetch.
On Beacon Hill —— *not uncommon*. June. A.

CAUCALIS minor floſculis rubentibus. R. S. 219.
CAUCALIS *Anthriſcus*. H. F. 99.
Hedge Parſley.
In buſhy Grounds, and on Ham Wall—*not uncommon*. July. B.

CAUCALIS ſegetum minor, Anthriſco hiſpido ſimilis. R. S. 220.
CAUCALIS *arvenſis*. H. F. 98.
Small Corn Parſley.
In Fields, and amongſt Corn—common. Auguſt. A.

CENTAURIUM luteum perfoliatum. R. S. 287.
BLACKSTONIA *perfoliata*. H. F. 146.
Yellow Centory.
In dry chalky Fields — common. July. A.

CENTAURIUM minus. R. S. 286.
GENTIANA *Centaurium*. H. F. 88.
Leſſer Centory.
In dry Paſtures—very common. July to October. A.
With a white Flower, near Minſter *in* Shepey — *but uncommon.*

CERASUS ſylveſtris fructu rubro. R. S. 463.
PRUNUS *Avium*. H. F. 187.
Common wild Cherry.
In Woods — common. April. S.

CERASTIUM hirſutum minus parvo flore. R. S. 348.
CERASTIUM *ſemi-decandrium*. H. F. 175.
The leaſt Mouſe-ear Chickweed.
On Walls and dry Soils — common. April. A.

CEREFOLIUM ſylveſtre. R. S. 207.
CHÆROPHYLLUM *temulum*. H. F. 108.
Wild Chervil.
Under Hedges — very common. July. A.

CHAMÆMELUM *fœtidum*. R. S. 185.
ANTHEMIS *Cotula*. H. F. 223.
Stinking Mayweed.
In Corn Fields —— too common. June. A.

CHA-

CHAMÆMELUM inodorum. R. S. 185.
MATRICARIA *inodora*. H.F. 322.
Field Feverfew.
On the ſides of paths in Corn-fields —— common.
Auguſt. A.

CHAMÆMELUM odoratiſſimum repens flore ſimplici. R. S. 185.
ANTHEMIS *nobilis*. H. F. 323.
Sweet-ſcented Camomile.
On Charing Heath—*uncommon*. Auguſt. P.

CHAMÆMELUM vulgare. R. S. 184.
MATRICARIA *Chamomilla*. H. F. 322.
Corn Feverfew.
In cultivated Fields amongſt Corn—common. June. A.

CHELIDONIUM minus. R. S. 246.
FICARIA *verna*. H. F. 214.
Pilewort, or leſſer Celandine.
In Meadows — very common. April. P.

CHENOPODIUM Betæ folio. R. S. 157.
CHENOPODIUM *polyſpermum*. H. F. 92.
Upright round leaved Blite, or Allſeed.
In the Conduit Row—*not uncommon*. Auguſt. A.

CHENOPODIUM erectum foliis triangularibus dentatis, ſpicis e foliorum alis plurimis longis erectis tenuibus. R. S. 155.

CHENOPODIUM *urbicum*. H. F. 89.

Upright Blite.

In the Conduit Row, *and in Ditches—common.* September. A.

CHENOPODIUM Stramonii folio. R. S. 154.

CHENOPODIUM *hybridum*. H. F. 90.

Maple-leaved Blite.

On Dunghills—not common. Auguſt. A.

CHRYSANTHEMUM ſegetum. R. S. 182.

CHRYSANTHEMUM *ſegetum*. H. F. 321.

Corn Marigold.

In Corn-fields —— common. July. A.

CICHOREUM ſylveſtre. R. S. 172.

CICHOREUM *Intybus*. H. F. 303.

Wild Succory.

In uncultivated Places, and by Sides of Fields——very common. Auguſt. P.

CICUTA. R. S. 215.

CONIUM maculatum. H. F. 100.

Hemlock.

In ſhady Places near the Town—*common.* July. A.

CICU-

CICUTARIA tenuifolia. R. S. 215.
ÆTHUSA *Cynapium*. H. F. 107.
The leſſer Hemlock, or Fools Parſley.
In Gatefield, *and in Gardens — not uncommon.* September. A.

CICUTARIA vulgaris. R. S. 207.
CHÆROPHYLLUM *ſylveſtre*. H. F. 108.
Wild Cicely, or Cow-weed.
Under Hedges, and in Fields — common. June. A.

CIRCÆA lutetiana. R. S. 289.
CIRCÆA *lutetiana*. H. F. 9.
Enchanters Night-ſhade.
In Byſing Wood — *common.* July. P.

CLEMATIS daphnoides major. R. S. 268.
VINCA *major*. H. F. 77.
The greater Periwinkle.
In Hedges, near Houſes at Ore *and* Sindal *Farm — uncommon.* April. P.

CLEMATIS latifolia ſeu Atragene quibuſdam. R. S. 258.
CLEMATIS *Vitalba*. H. F. 217.
Great Wild Climber, or Traveller's Joy.
In Hedges —— very common. July. P.

CLINOPODIUM Origano ſimile. R. S. 239.
CLINOPODIUM *vulgare.* H. F. 228.
Great wild Baſil.
In Hedges — very common. July. P.

COCHLEARIA folio ſinuato. R. S. 303.
COCHLEARIA *anglica.* H. F. 248.
Sea Scurvy-graſs.
On the Sea Walls near Thorn—*common.* May. B.

CONVOLVULUS major. R. S. 275.
CONVOLVULUS *ſepium.* H. F. 74.
Great Bindweed.
Under Hedges—very common. With a reddiſh purple Flower, in the Brent *Hedge; but very uncommon.* Auguſt. P.

CONVOLVULUS maritimus Soldanella dictus. R. S. 276.
CONVOLVULUS *Soldanella.* H. F. 75.
Sea Bindweed.
On the Sand Downs near Sandwich — *not common.* July. P.

CONVULVULUS minor vulgaris. R. S. 275.
CONVOLVULUS *arvenſis.* H. F. 74.
Small Bindweed.
In Fields, and by Road-ſides—very common. July. P.

CONIZA

CONYZA media. R. S. 174.
INULA *dyſenterica*. H. F. 320.
Middle Fleabane.
About the Abbey Pond — *common*. Auguſt. P.

CONYZA minor. R. S. 174.
INULA *Pulicaria*. H. F. 320.
Small Fleabane.
About the Conduit-row, *and at* Downe's-forſtal *in* Hernhill — *not uncommon*. September. A.

CORNUS fæmina. R. S. 460.
CORNUS *ſanguinea*. H. F. 58.
The female Cornel, Dog-berry Tree, or Prick-wood.
In Hedges —— *common*. June. S.

CORYLUS ſylveſtris. R. S. 439.
CORYLUS *Avellana*. H. F. 360.
The Hazle-nut Tree.
In Woods and Hedges—very common. March. S.

COTYLEDON vera radice tuberoſa. R. S. 271.
COTYLEDON *Umbilicus Veneris*. H. F. 169.
Navel-wort, Kidney-wort, or Wall Penny-wort.
On Tenterden *Church, and in a Stone Pit at* Boughton Monchelſea—*very uncommon*. June. P.

CRACCA. R. S. 322.
VICIA *Cracca*. H. F. 277.
Tufted Vetch.
In the Hedges of the Beacon *Farm* —— *uncommon.*
July. A.

CRACCA minor. R. S. 322.
ERVUM *hirſutum*. H. F. 280.
Small wild Tare, Tine-Tare, or hairy Tare.
In Rickeſy-lane *Hedge*, Selling —— *not uncommon.*
July. A.

CRACCA minor ſiliquis ſingularibus floſculis cæruleſcentibus. R. S. 322.
ERVUM *tetraſpermum*. H. F.
Tine-Tare with ſmooth Pods, or ſmooth Tare.
In Fields and under Hedges—common. June. A.

CRITHMUM marinum. R. S. 217.
CRITHMUM *maritimum*. H. F. 101.
Sampire.
On the Cliffs between St. Margaret's *and* Dover —— *plentifully.* Auguſt. P.

CRUCIATA. R. S. 223.
VALANTIA *Cruciata*. H. F. 375.
Croſs-wort, or Mug-weed.
In Hedges in Preſton *and* Oſpringe—*not uncommon.*
June. F.

CUSCUTA

CUSCUTA major. R. S. 281.
CUSCUTA *europæa*. H. F. 89.
Dodder, Hell-weed, Devil's-guts.
Upon leguminous Plants — common. July. A.

CYANUS. R. S. 198.
CENTAUREA *Cyanus*. H. F. 325.
Blue Bottles, or Corn Bottles.
In Corn-fields — very common. July. A.

CYNOGLOSSUM. R. S. 226.
CYNOGLOSSUM *officinale*. H. F. 67. β.
Great Hound's Tongue.
By the Road Sides near Boughton Chalk Pits — *not common.* June. P.

CYNOGLOSSUM folio virenti. R. S. 226.
CYNOGLOSSUM *officinale* H. F. 67. β.
The leſſer green leaved Hound's Tongue.
Near Sandwich — *not common.* June. P.

D.

DAMASONIUM ſtellatum Dalechampii. R. S. 272.
ALISMA *Damaſonium*. H. F. 138.
Star-headed Water Plantain.
In a Field-pond of Mr. Jacob's *Farm, at* Eaſt Church *in* Shepey — *very uncommon.* June to Auguſt. P.

DAU-

DAUCUS vulgaris. R. S. 218.
DAUCUS *Carota*. H. F. 99.
Wild Carrot, or Bird's Neſt.
In Paſtures, and by Way-ſides—very common. July. B.

* DELPHINIUM ſegetum flore caruleo. R. S. 273.
DELPHINIUM *Conſolida*. H. F. 207.
Wild Larkſpur.
In King's Field, *amongſt Corn —— very uncommon.* June. A.

DENS-LEONIS. R. S. 170.
LEONTODON *Taraxacum*. H. F. 297.
Dandelion.
In Meadows and Paſtures—very common. May. P.

DENS-LEONIS hirſutus, Hieracium dictus. R. S. 127.
LEONTODON *hiſpidum*. H. F. 297.
Rough Dandelion, or Dandelion Hawk-weed.
In Meadows and Paſtures — common. June. P.

DIGITALIS purpurea. R. S. * 283.
DIGITALIS *purpurea*. H. F. 240.
Purple Fox Glove.
In Woods and Hedges — common. July. B.

DIPSACUS

DIPSACUS minor seu Virga pastoris. R. S. 192.
DIPSACUS *pilosus*. H. F. 49.
Small wild Teasel, or Shepherd's Rod.
In the Road Hedge leading from Plomford *to* Badgen Downs — *uncommon*. July or August. B.

DIPSACUS sylvestris seu Labrum Veneris. R. S. 192.
DIPSACUS *sylvestris*. H. F. 49.
Wild Teasel.
In uncultivated Places, and under Hedges — very common. July. B.

E.

ECHIUM alterum sive Lycopsis anglica. R. S. 228.
ECHIUM *anglicum*. H. F. 70.
English Viper's Bugloss.
By Way-sides near Whitehill *in* Ospringe — *not uncommon*. August. P.

ECHIUM vulgare. R. S. 218.
ECHIUM *vulgare*. H. F. 69.
Viper's Bugloss.
On barren Ground, and upon old Walls — very common. July. P.

EQUISETUM arvense longioribus setis. R. S. 130.
EQUISETUM *arvense*. H. F. 380.
Corn Horse-tail.
In moist Fields amongst Corn — common. March. P.

EQUISETUM majus. R. S. 130.
EQUISETUM *fluviatile*. H. F. 381.
River Horſe-tail.
In the River about the Powder Mills —— *common.*
May. P.

EQUISETUM paluſtre. R. S. 131.
EQUISETUM *paluſtre*. H. F. 380.
The leſſer Marſh Horſe-tail.
In the Corn Fields near Nagden —— *not uncommon.*
June. P.

EQUISETUM ſylvaticum. R. S. 130.
EQUISETUM *ſylvaticum*. H. F. 380.
Wood Horſe-tail.
In the ſwampy Ground near Ore Mill — *not common.*
May. P.

ERICA Brabantica folio Coridis hirſuto quaterno.
R. S. 471.
ERICA *tetralix*. H. F. 144.
Croſs-leaved Heath.
At the Bottom of Jud's Wood — *not common.* Auguſt. S.

ERICA tenuifolia. R. S. 471.
ERICA *cinerea*. H. F. 144.
Fine leaved Heath.
Upon Charing Heath — *not common.* Auguſt. S.

ERICA

ERICA vulgaris. R. S. 470.
ERICA *vulgaris*. H. F. 144.
Common Heath, or Ling.
In Woods—very common. June to September. P.

ERUCA aquatica. R. S. 297.
SISYMBRIUM *ſylveſtre*. H. F. 258.
Water Rocket.
In Ham Ponds *near* Sandwich—*uncommon*. June. P.

ERUCA hirſuta ſiliqua cauli appreſſa. Eryſimum vulgare. R. S. 298.
ERYSIMUM *officinale*. H. F. 250.
Hedge Muſtard.
Under Hedges, and by Road Sides —— very common. May. A.

ERUCA lutea ſeu Barbarea. R. S. 297.
ERYSIMUM *Barbarea*. H. F. 251.
Winter Creſs or Rocket.
Near the Powder Mills—*not uncommon*. May. P.

ERYNGIUM marinum. R. S. 222.
ERYNGIUM *maritimum*. H. F. 95.
Eryngo, or Sea Holly.
On the Shore between Graveney *and* Sea Salter —— *uncommon*. July. P.

ERYSIMUM

ERYSIMUM Sophia dictum. R. S. 298.
SYSIMBRIUM *Sophia*. H. F. 259.
Flix-weed.
By the Road Sides near Sittingbourn —— *uncommon.*
June. A.

EUONYMUS vulgaris. R. S. 468.
EUONYMUS *europæus*. H. F. 84.
The Spindle Tree, or Prick-wood.
In Woods and Hedges — common. May. S.

EUPATORIUM Cannabinum. R. S. 179.
EUPATORIUM *cannabium*. H. F. 310.
Common Hemp Agrimony, or Dutch Agrimony.
About the Abbey Pond—*common.* Auguſt. P.

EUPHRASIA. R. S. * 284.
EUPHRASIA *officinalis*. H. F. 234.
Eye-bright.
In moſt upland Paſtures—very common. Auguſt. A.

EUPHRASIA pratenſis rubra. R. S. * 284.
EUPHRASIA *Odontites*. H. F. 234.
Red Eye-bright.
In the Ways and Corn Fields about Preſton——*very common.* Auguſt. A.

FAGUS.

F.

FAGUS. R. S. 439.
FAGUS *ſylvaticus*. H. F. 360.
The Beech Tree.
In Woods — common. May. S.

* FEGOPYRUM. R. S. 144.
POLYGONUM *Fagopyrum*. H. F. 150.
Buck-wheat, or Brank.
In Corn fields near Beacon Hill—*uncommon.* July. A.

FEGOPYRUM ſcandens ſylveſtre. R. S. 144.
POLYGONUM *Convolvulus*. H.F. 149.
Black Bind-weed.
In Corn fields and Hedges — not uncommon. June to September. A.

FERRUM equinum germanicum ſiliquis in ſummitate. R. S. 326.
HIPPOCREPIS *comoſa*. H. F. 281.
Tufted Horſe-ſhoe Vetch.
On chalky Ground in Oſpringe—*common.* July. A.

FILIPENDULA. R. S. 259.
SPIRÆA *Filipendula*. H. F. 190.
Common Dropwort.
Upon Beacon Hill — *not uncommon.* July. P.

FILIX Fœmina. R. S. 124.
PTERIS *aquilina*. H. F. 384.
Female Fern, or Common Brakes.
In Woods —— very common. Auguſt. P.

FILIX mas vulgaris. R. S. 120.
POLYPODIUM *Filix mas*. H. F. 389.
Common Male Fern.
On ſhady Banks under Hedges — common. P.

FILICULA ſaxatilis ramoſa maritima noſtras. R. S. 125.
PTERIS *aquilina*. H. F. 384.
Small-branched Stone-Fern.
On Walls about the Town—*uncommon.* Auguſt. P.

FŒNICULUM vulgare. R. S. 217.
ANETHUM *Fœniculum*. H. F. 110.
Common Fennel, or Finkle.
By the Road-ſide as you enter the Town—*not uncommon.* Auguſt. P.

FRAGARIA. R. S. 254.
FRAGARIA *veſca*. H. F. 194.
Strawberry.
In Woods — very common. April. P.

FRAGRA-

FRAGARIA ſterilis. R. S. 254.
FRAGARIA *ſterilis.* H. F. 195.
Barren Strawberry.
On barren Lands — very common. April. P.

FRANGULA ſive Alnus nigra baccifera. R. 465.
RHAMNUS *Frangula.* H. F. 83.
The black Berry-bearing Alder.
In Badgen Wood — *not common.* May. S.

FRAXINUS. R. S. 469.
FRAXINUS *excelſior.* H. F. 379.
The common Aſh Tree.
In Woods and Hedges — common. April. S.

FUMARIA vulgaris. R. S. 204.
FUMARIA *officinalis.* H. F. 270.
Fumitory.
In Fields and Gardens — common. May. A.

FUMARIA alba latifolia. R. S. 204.
FUMARIA *claviculata.* H. F. 270.
Climbing Fumitory.
In moiſt Hedges in Davington *and* Oſpringe —— *not common.* Auguſt. A.

G.

GALE frutex odoratus ſeptentrionalium. R.S. 443.
MYRICA *Gale.* H. F. 368.
Sweet Willow, Goule, Dutch Myrtle.
On Willſborough Lees, *near* Aſhford — *plentifully.*
May. S.

GALEOPSIS legitima Dioſcoridis. R. S. 237.
STACHYS *ſylvatica.* H. F. 227.
Hedge Nettle.
In Woods and Hedges—very common. Auguſt. A.

GALLIUM luteum. R. S. 224.
GALLIUM *verum.* H. F. 55.
Yellow Ladies Bedſtraw, or Cheeſe-renning.
On the Sides of Fields—very common. July. P.

GENISTA anguloſa trifolia. R. S. 474.
SPARTIUM *ſcoparium.* H. F. 271.
Common Broom.
In Woods and dry Fields — very common. June. P.

GENISTA minor aſpalathoides. R. S. 475.
GENISTA *anglica.* H. F. 272.
Needle Furze, or Petty Whin.
Amongſt Furze which grows on wet Land —— not common. May. P.

GENISTA

GENISTA ſpinoſa vulgaris. R. S. 475.
ULEX *europæus*. H. F. 272.
Furze, Whins, or Gorſe.
On Beacon Hill—*very common*. March to June. P.

GENISTELLA tinctoria. R. S. 474.
GENISTA *tinctoria*. H. F. 272.
Dyers-weed, Green-wood.
In the Marſhes near Holly Shore —— *not common*. July. P.

GENTIANELLA fugax autumnalis. R.S. 275.
GENTIANA *Amarella*. H. F. 87.
Autumnal Gentian.
In dry Paſtures and Oſpringe Chalk Pits —— *not uncommon*. Auguſt. A.

GERANIUM Cicutæ folio inodorum. R. S. 357.
GERANIUM *cicutarium*. H. F. 262.
Field Crane's-bill without Scent, or Hemlock-leaved Crane's-bill.
By Road ſides, and on old Walls —— *not uncommon*. April to June. A.

GERANIUM columbinum. R. S. 359.
GERANIUM *molle*. H. F. 265.
Common Dove's-foot Crane's-bill.
Under Hedges — *very common*. June. A.

GERANIUM columbinum humile flore cæruleo. R. S. 359.

GERANIUM *pusillum*. H. F. 266.

Small flowered Dove's-foot Crane's-bill.

By Wayſides leading to Thorn—*common*. June. A.

GERANIUM columbinum majus foliis diſſectis. R. S. 359.

GERANIUM *diſſectum*. H. F. 266.

Jagged leaved Dove's-foot Crane's-bill.

In dry Fields in Oſpringe — *not uncommon*. May to July. A.

GERANIUM columbinum diſſectis foliis pediculis florum longiſſimis. R. S. 359.

GERANIUM *columbinum*. H. F. 266.

Long-ſtalked Dove's-foot Crane's-bill.

Upon Oldwives Lees — *not common*. July. A.

GERANIUM robertianum. R. S. 358.

GERANIUM *robertianum*. H. F. 264.

Herb Robert.

In Hedges, and on Rubbiſh—very common. June. B.

GERANIUM puſillum ſupinum maritimum. R. S. 357.

GERANIUM *maritimum*. H. F. 263.

Sea Crane's-bill.

On the Sand Downs near Deal —— *not common* Auguſt. P.

GLAUX

GLAUX maritima. R. S. 285.
GLAUX *maritima*, H. F. 86.
Sea Milkwort, or black Saltwort.
In the Brent *Marſhes — common.* July. P.

GNAPHALIUM longifolium humile ramoſum capitulis nigris. R. S. 181.
GNAPHALIUM *uliginoſum.* H. F. 313.
Black-headed, long leaved, low branched cudweed.
In moiſt Places in Hernhill —— *not uncommon.* Auguſt. A.

GNAPHALIUM anglicum. R. S. 180.
GNAPHALIUM *ſylvaticum.* H. F. 313.
Upright Cudweed.
In Judd's Wood — *common.* Auguſt. B.

GNAPHALIUM minimum. R. S. 181.
FILAGO *montana.* H. F. 328.
The leaſt Cudweed.
In dry ſandy Meadows, and among Corn —— common. July. A.

GNAPHALIUM minus ſeu Herba impia. R. S. 180.
FILAGO *germanica.* H. F. 328.
Common Cudweed.
In dry Meadows and by Road ſides — common. July. A.

GROS-

* GROSSULARIA. Miller Botan Officinal. 220.
RIBES *Uva crispa*. Lin. Syſtem. Nat. *Tom.* II. p. 184.
The Gooſeberry Buſh.
In ſeveral Hedges beyond White Hill, Oſpringe. April. S.

H.

HEDERA communis major et minor. R. S. 459.
HEDERA *Helix*. H. F. 85.
Climbing, or berried Ivy, alſo barren and creeping Ivy.
In Woods and Hedges — very common. October. S.

HELIANTHEMUM vulgare. R. S. 341.
CISTUS *Helianthemum*. H. F. 205.
Dwarf Ciſtus, or little Sunflower.
On dry chalky Banks — very common. June. P.

HELENIUM. R. S. 176.
INULA *Helenium*. H. F. 319.
Elicampane.
On the moiſt Ground near the Half-way Houſe to Canterbury — *very uncommon.* Auguſt. P.

HELLEBORUS niger hortenſis. R. S. 271.
HELLEBORUS *viridis*. H. F. 215.
Wild black Hellebore.
On the Cliff beyond Weſtfield *in* Pluckley — *uncommon.* April. P.

HEL-

HELLEBORASTER maximus. R. S. 271.

HELLEBORUS *fœtidus*. H. F. 215.

Great baſtard black Hellebore, Bear's-foot, or Setter-wort.

By the Road ſide, up the Chalk-hill, *about a Mile North-weſt from* Charing—*uncommon*. March. P.

HELLEBORINE altera atro-rubente flore. R. S. 383.

SERAPIAS *latifolia*. H. F. 341. β.

Broad-leaved baſtard Hellebore, a Variety.

In Oſpringe Woods—*uncommon*. Auguſt. P.

HELLEBORINE latifolia montana. R. S. 383.

SERAPIAS *latifolia*. H. F. 341.

Broad leaved baſtard Hellebore.

In King's Wood — *uncommon*. July. P.

HELLEBORINE latifolia flore albo clauſo. R. S. 384.

SERAPIAS *longifolia*. H. F. 341.

White flowered baſtard Hellebore.

In Badgen *and* Jud's Woods—*uncommon*. June. P.

HERBA Paris. R. S. 264.

PARIS *quadrifolia*. H. F. 150.

Herb Paris, True-love, or One-berry.

In Woods near Doddington—*not common*. May. P.

HES-

HESPERIS allium redolens. R. S. 293.
ERYSIMUM *Alliaria.* H. F. 251.
Jack by the Hedge, or Sauce alone.
Under Hedges — *very common.* May. P.

HIERACIUM Echioides capitulis Cardui benedicti. R. S. 166.
PICRIS *Echioides.* H. F. 294.
Ox's Tongue, or Lang de Boeuf.
In Hedges and Paſtures going to Thorn Creek — *common.* July. A.

HIERACIUM fruticoſum anguſtifolium majus. R. S. 168.
HIERACIUM *umbellatum.* H. F. 300.
Narrow leaved buſhy Hawk-weed.
In Oſpringe *Chalk Pits, and by Way-ſides at* Dunkirk — *uncommon.* Auguſt. P.

HIERACIUM fruticoſum latifolium hirſutum. R. S. 187.
HIERACIUM *ſabaudum.* H. F. 300.
Buſhy Hawk-weed with broad rough Leaves.
In Hedges about Sheldwich — *not common.* July. P.

HIERACIUM longius radicatum. R. S. 165.
HYPOCHÆRIS *radicata.* H. F. 302.
Long-rooted Hawk-weed.
On Beacon Hill — *common.* June. P.

HIER-

HIERACIUM luteum glabrum ſive minus hirſutum. R. S. 165.
CREPIS *tectorum*. H. F. 301.
Smooth Succory Hawk-weed.
In Fields and on old Walls — common. June to September. A.

HIERACIUM maximum Chondrillæ folio aſperum. R. S. 166.
CREPIS *biennis*. H. F. 301.
Rough Succory Hawk-weed.
In Hedges near Sittingbourn—*uncommon.* Auguſt. B.

HIERACIUM minus præmorſa radice. R.S. 164.
LEONTODON *autumnale*. H. F. 297.
Hawk-weed with bitten Roots, or yellow Devil's Bit.
In Corn fields in Hernhill—*common.* Auguſt. P.

HORMINUM ſylveſtre Lavendulæ flore. R. S. 237.
SALVIA *verbenaca*. H. F. 9.
Common Engliſh wild Clary, or Oculus Chriſti.
In Davington *and* Ore *Church-Yards — not common.* May. P.

HOTTONIA. R. S. 285.
HOTTONIA *paluſtris*. H. F. 72.
Water Violet, or Gilliflower.
About the Decoy Ponds— *uncommon. In Dykes near* Deal — *common.* June. P.

HYA

HYACINTHUS anglicus. R. S. 373.
HYACINTHUS *non ſcriptus*. H. F. 123.
Engliſh Hyacinth, or Hare-bells.
In Woods and under Hedges—very common. April. P.

HYDROCOTYLE vulgaris. R. S. 222.
HYDROCOTYLE *vulgaris*. H. F. 96.
Marſh Penny-wort, or White-rot.
In the Marſhes about Luddenham *and* Ore — *not uncommon*. May. P.

HYOSCYAMUS vulgaris. R. S. 274.
HYOSCYAMUS *niger*. H. F. 77.
Common Henbane.
By Road ſides near the Town—*common*. June. P.

HYPERICUM. R. S. 342.
HYPERICUM *perforatum*. H. F. 290.
Saint John's-wort.
Under Hedges, and by Road ſides — very common. July. P.

HYPERICUM Androſæmum dictum. R.S. 343.
HYPERICUM *hirſutum*. H. F. 291.
Tutſan, or hairy St. John's-wort.
In hollow Lanes in Boughton—*uncommon*. July. P.

HYPE-

HYPERICUM Aſcyron dictum caule quadrangulo. R. S. 344.
HYPERICUM *quadrangulum*. H. F. 292.
Saint Peter's-wort.
In Davington *Brooks—not uncommon.* July. P.

HYPERICUM pulchrum Tragi. R. S. 342.
HYPERICUM *pulchrum*. H. F. 290.
Upright Saint John's-wort.
In Byſing Wood — *common*. July. P.

HYPERICUM maximum Androſæmum vulgare dictum. R. S. 343.
HYPERICUM *Androſæmum*. H. F. 291.
Tutſan, or Park-leaves.
In a Hedge near Provender Wood —— *uncommon*. July. P.

HYPERICUM minus ſupinum. R. S. 343.
HYPERICUM *humifuſum*. H. F. 290.
The leaſt trailing Saint John's-wort.
On ſandy Lands in Ore—*common*. July. P.

HYPERICUM eleganiſſimum non ramoſum folio lato. R. S. 343.
HYPERICUM *montenum*. H. F. 291.
Imperforate Saint John's-wort.
In Byſing Wood — *uncommon*. July. P.

J.

JACEA major. R. S. 198.
CENTAUREA *Scabiosa*. H. F. 325.
Great Knap-weed, or Matfellon.
On the sides of Paths — common. July. P.

JACEA nigra. R. S. 198.
CENTAUREA *Jacea*. H. F. 326. ?
Common Knap-weed, or Matfellon.
On the sides of Fields—very common. Auguſt. P.

JACOBÆA latifolia paluſtris ſive aquatica. R. S. 178.
SENECIO *aquaticus*. H. F. 317.
Broad-leaved Marſh or Water Ragwort.
In the Brents — *common.* Auguſt. P.

JACOBÆA ſenecionis folio incano perennis. R. S. 177.
SENECIO *erucifolius*. H. F. 317.
Hoary Perennial Ragwort with Groundſel Leaves.
In Byſing Wood — *not common*. July. P.

JACOBÆA vulgaris. R. S. 177.
SENECIO *Jacobæa*. H. F. 316.
Common Ragwort.
In Meadows and Paſtures—very common. July. P.

IRIS paluſtris lutea. R. S. 374.
IRIS *Pſeudacorus.* H. F. 13.
Yellow Water Flower de luce.
In moiſt boggy Places — very common. June. P.

IRIS ſylveſtris quam Xyrim vocant. R. S. 375.
IRIS *fœtidiſſima.* H. F. 13.
Stinking Gladdon.
By Sandgate Caſtle *near* Folkſtone—*very uncommon.* July. P.

JUNIPERUS vulgaris baccis parvis purpureis. R. S. 444.
JUNIPERUS *communis.* H. F. 372.
The common Juniper.
On dry chalky Commons — very common. May. S.

K.

KALI geniculatum perenne fruticoſius procumbens. R. S. 136.
SALICORNIA *europæa.* H. F. 1. β.
Perennial Marſh Sampire, or jointed Glaſs-wort.
In the Iſle *of* Shepey—*uncommon.* Auguſt. P.

KALI ſpinoſum cochleatum. R. S. 159.
SALSOLA *Kali.* H. F. 33.
Prickly Glaſs-wort.
On the Shore between Graveney *and* Seaſalter — *not common.* July. A.

KNAWEL. R. S. 159.
SCLERANTHUS *annuus*. H. F. 160.
German Knot-grafs, or annual Knawel.
On barren dry ſandy Soils—very common. Auguſt. A.

L.

LACTUCA agnina ſeu Valerianella foliis ſerratis. R. S. 201.
VALERIANA *Locuſta*. H. F. 12.
Small Corn Sallet, or Valerian with jagged leaves.
In Fields among Corn, and on old Walls —— common. May. A.

LACTUCA ſylveſtris murorum. R. S. 162.
PRENANTHES *muralis*. H. F. 296.
Ivy-leaved wild Lettuce.
In Hedges near Wilderton—*uncommon.* July. P.

LACTUCA ſylveſtris minima. R. S. 162.
LACTUCA *ſaligna*. H. F. 296.
The leaſt wild Lettuce.
On Banks of Ditches near Sheerneſs —— *uncommon.* Auguſt. A.

LAMIUM album. R. S. 240.
LAMIUM *album*. H. F. 225.
White Archangel or Dead Nettle.
Under Hedges — very common. May. P.

LAMIUM

LAMIUM rubrum. R. S. 240.
LAMIUM *rubrum*. H. F. 225.
Red Archangel or Dead Nettle.
On Rubbiſh, and ſides of Fields —— very common.
May. A.

LAMIUM cannabinum floribus albis verticillis purpuraſcentibus. R. S. 241.
GALEOPSIS *Tetrahit*. β. H. F. 226.
White flowered Hemp-leaved Dead Nettle.
In Hedges between Plomford *and* Badgen Downs — *not common.* Auguſt. A.

LAMIUM cannabino folio vulgare. R. S. 240.
GALEOPSIS *Tetrahit*. H. F. 226.
Nettle Hemp, or Hemp-leaved Dead Nettle.
In Byſing Wood—*not common.* Auguſt. A.

LAMIUM cannabino folio, flore amplo luteo, labio purpureo. R. S. 241.
GALEOPSIS *Tetrahit* δ. H. F. 226.
Hemp-leaved Dead Nettle with a parti-coloured Flower.
In Mr. Jacob's *new Wood-hedge at* Nackington — *very uncommon.* Auguſt. A.

LAMIUM folio caulem ambiente majus et minus. R. S. 240.
LAMIUM *amplexicaule*. H. F. 225.
Great Henbit.
In Hop-grounds—very common. June. A.

LAMIUM luteum. R. S. 242.
GALEOPSIS *Galeobdolon.* H. F. 226.
Yellow Archangel, Dead Nettle, or yellow Nettle Hemp.
In Woods and under ſhady Hedges —— very common.
May. P.

LAMPSANA. R. S. 173.
LAPSANA *communis.* H. F. 303.
Nipple-wort.
In moiſt Cornfields, and by Way-ſides—very common.
July. A.

LAPATHUM acetoſum repens lanceolatum. R. S. 143.
RUMEX *Acetoſella.* H. F. 136.
Sheep's Sorrel.
On dry ſandy or gravelly Ground —— very common.
July. P.

LAPATHUM acetoſum vulgare. R. S. 143.
RUMEX *Acetoſa.* H. F. 136.
Common Sorrel.
In Meadows and Paſtures—very common. June. B.

LAPATHUM acutum. R. S. 142.
RUMEX *acutus.* H. F. 134.
Sharp-pointed Dock.
In uncultivated Places—very common. June. P.

LAPA-

LAPATHUM acutum minimum. R. S. 141.
An RUMICIS *acuti* varietas. H. F. 134.
The leſſer ſharp-pointed Dock.
In Woods —— not uncommon. June. P.

LAPATHUM folio acuto criſpo. R. S. 141.
RUMEX *criſpus.* H. F. 134.
Sharp-pointed Dock, with curled Leaves.
On the Mud Walls beyond the Sluice —— *common.* July. P.

LAPATHUM folio acuto rubente. R. S. 142.
RUMEX *ſanguineus.* H. F. 133.
Blood-wort.
In Davington Brooks—*uncommon.* July. B.

LAPATHUM maximum aquaticum ſive Hydrolapathum. R. S. 140.
RUMEX. *Britannicus.* H. F. 135.
Great Water Dock.
In Ditches and boggy Places—very common. Auguſt. P.

LAPATHUM pulchrum Bononienſe ſinuatum. R. S. 142.
RUMEX *pulcher.* H. F. 134.
Fiddle-Dock.
By the ſides of Foot-ways about the Town — *not uncommon.* June. P.

LAPA-

LAPATHUM viride. R. S. 141.
An RUMICIS *acuti* varietas. H. F. 134.
The greener leaved Dock.
In ſhady Woods and moiſt Ground —— not uncommon.
June. P.

LAPATHUM vulgare folio obtuſo. R. S. 141.
RUMEX *obtuſifolius.* H. F. 134.
Common broad-leaved Dock.
In moiſt Places, and by Road ſides —— very common.
July. P.

LAPPA major Arctium Dioſcoridis. R. S. 197.
ARCTIUM *Lappa.* H. F. 304.
Burdock, or Clot burr.
Under Hedges, and by Road-ſides —— very common.
Auguſt. B.

LAPPA major capitulo glabro maximo. R.S. 196.
ARCTIUM *Lappa.* β. H. F. 304.
Greater Burdock, with a larger Flower.
By Road-ſides, and under Hedges —— common.
Auguſt. B.

LAPPA major capitulis parvis glabris. R. S. 197.
ARCTIUM *Lappa.* H. F. 304.
Burdock with ſmall Heads.
By Road ſides in Hern-hill —— *not uncommon.* Auguſt. B.

LAPPA

LAPPA major montana capitulis tomentoſis.
ARCTIUM *Lappa*. H. F. 304.
Greater Burdock with woolly Heads.
In the Way-ſides near Luddenham Court—*uncommon.*
Auguſt. B.

LATHYRUS luteus ſylveſtris dumetorum. R. S. 320.
LATHYRUS *pratenſis*. H. F. 277.
Tare everlaſting, or common yellow baſtard Vetchling.
In Woods and Hedges — common. Auguſt. A.

LATHYRUS major latifolius. R. S. 319.
LATHYRUS *latifolius*. H. F. 276.
Broad-leaved everlaſting Pea.
In a Field Hedge at Copton, *and by the Road-ſide near* Boughton Street—*uncommon.* July. P.

LATHYRI majoris ſpecies flore rubente et albido. R. S. 319.
LATHYRUS *ſylveſtris*. H. F. 276.
Narrow-leaved everlaſting Pea.
In a Hedge of the Beacon Farm—*uncommon.* Auguſt. P.

LAUREOLA. R. S. 465.
DAPHNE *Laureola*.
Dwarf Laurel, or Spurge-Laurel.
In Woods and under Hedges — common. March. P.

LENS

LENS paluſtris. R. S. 129.
LEMNA *minor*. H. F. 345.
Duck's Meat.
In Ponds and ſtanding Waters —— very common. June. P.

LENTICULA aquatica triſulca. R. S. 129.
LEMNA *triſulca*. H. F. 344.
Ivy-leaved Duck's Meat.
In the Ditches of Ham Marſh—*common*. June. P.

LENTICULA paluſtris major. R. S. 129.
LEMNA *polyrhiza*. H. F. 345.
Greater Duck's Meat.
In a Ditch near Waterham—*uncommon*. July. A.

LEPIDIUM latifolium. R. S. 304.
LEPIDIUM *latifolium*. H. F. 244.
Dittander, or Pepperwort.
Near the King's Head Key *in the* Town—*very uncommon*. July. P.

LEUCANTHEMUM vulgare. R. S. 184.
CHRYSANTHEMUM *Leucanthemum*. H. F. 321.
The greater Daiſie, or Ox-eye.
In Paſtures, and amongſt Corn—common. May. P.

LEUCO-

LEUCOJUM luteum vulgo Cheiri flore ſimplici. R. S. 291.
CHEIRANTHUS *Cheiri*. H. F. 250.
Wall-flower, or wild Chier.
On old Walls — very uncommon. May. P.

* LEUCOJUM bulboſum trifolium minus. Bauhini Pinacis. 56.
GALANTHUS *nivalis*. Lin. Syſt. Natur. II. p. 234.
The Snow Drop.
In Paſtures at South-ſtreet, *and at* Davington — *very common.* February. P.

LIGUSTRUM. R. S. 465.
LIGUSTRUM *vulgare*. H. F. 3.
Privet, or Prim.
In Woods and Hedges — very common. May. S.

LILLIUM convallium. R. S. 264.
CONVALLARIA *majalis*. H. F. 126.
Lilly Convally, or May Lilly.
In the Blean Woods — *plentifully.* May. P.

LIMNOPEUCE. R. S. 136.
HIPPURIS *vulgaris*. H. F. 1.
Mare's Tail.
In the Powder-Mill *Waters — uncommon.* May. P.

LIMO-

LIMONIUM. R. S. 200.
STATICE *Limonium.* H. F. 114.
Sea Lavender.
In the Salt Marſhes——very common. Auguſt. P.

LINARIA Elatine dicta folio acuminato. R. S. * 282.
ANTIRRHINUM *Elatine.* H. F. 237.
Sharp-pointed Fluellin.
In Corn Fields — common. September. A.

LINARIA Elatine dicta folio ſubrotundo. R. S. * 282.
ANTIRRHINUM *ſpurium.* H. F. 237.
Round-leaved Fluellin.
In the Corn fields of Preſton—*not uncommon.* Auguſt. A.

LINARIA lutea vulgaris. R. S. * 281.
ANTIRRHINUM *Linaria.* H. F. 238.
Common yellow Toad-flax.
On the ſides of Fields and Roads —— very common. July. P.

LINUM ſylveſtre anguſtifolium floribus dilute purpuraſcentibus vel carneis. R. S. 362.
LINUM *tenuifolium.* H. F. 116.
Narrow-leaved Wild Flax.
Upon Beacon Hill — *not common.* June. P.

LINUM

LINUM ſylveſtre cæruleum perenne erectius flore et capitulo majore. R. S. 362.
LINUM *perenne*. H. F. 115.
Perennial Blue Flax.
In the Iſle *of* Shepey — *uncommon*. June. P.

LINUM ſylveſtre catharticum. R. S. 362.
LINUM *catharticum*. H. F. 116.
Purging Flax, Wild Dwarf Flax, Mill-mountain
On ſandy and chalky Soils—very common. June. A.

LITHOSPERMUM, ſeu Milium Solis. R.S. 228.
LITHOSPERMUM *officinale*. H. F. 65.
Gromwell, Gromil, or Graymill.
In Badgen Wood, *and by Road ſides—not uncommon*. June. P.

LONCHITIS aſpera. R. S. 118.
OSMUNDA *Spicant*. H. F. 382.
Rough Spleen-wort.
In the Woods near Dunkirk—*uncommon*. July. P.

LOTI corniculatæ major ſpecies. R. S. 334.
LOTUS *corniculata*. H. F. 288. γ.
The greater Bird's-foot Trefoil.
Under Hedges near Byſing Wood —— *not common*. July. P.

LOTUS corniculata glabra minor. R. S. 334.
LOTUS *corniculata.* H. F. 288.
Bird's-foot Trefoil.
Under Hedges, and in Fields in Oſpringe——*common.* July. P.

LUPULUS mas et fœmina. R. S. 137.
HUMULUS *Lupulus.* H. F. 369.
Hops, the male and female.
In Hedges in Preſton — *not uncommon.* July. P.

LUTEOLA. R. S. 366.
RESEDA *Luteola.* H. F. 181.
Wild Woad, Yellow Weed, or Dyers Weed.
In Davington *Church-Yard, and on barren Lands — not uncommon* — June. A.

LYCHNIS major noctiflora Dubrenſis perennis. R. S. 340.
CUCUBALUS *viſcoſus.* H. F. 163.
Dover Campion.
On the Cliffs between St. Margaret's *and* Dover — *plentifully.* July. P.

LYCHNIS maritima repens. R. S. 337.
SILENE *amœna.* ? H. F. 164.
Sea Campion.
In the Iſle *of* Shepey. — *uncommon.* Auguſt. P.

LYCH-

LYCHNIS plumaria ſylveſtris ſimplex. R.S. 338.
LYCHNIS *Flos cuculi.* H. F. 174.
Meadow Pink, Wild Williams, Cuckow Flower.
In moiſt Paſtures — very common. June. P.

LYCHNIS Saponaria dicta. R. S. 339.
SAPONARIA *officinalis.* H. F. 160.
Common Soap-wort.
In Hedges near Sindal *and* Keatings, *and beyond* Sheldwich Church — *uncommon.* July. P.

LYCHNIS ſegetum major. R. S. 338.
AGROSTEMMA *Githaco.* H. F. 173.
Cockle.
In Corn Fields — common. June. A.

LYCHNIS ſupina maritima Ericæ facie. R.S. 338.
FRANKENIA *lævis.* H. F. 119.
Smooth Sea-Heath.
Near Minſter *in* Shepey—*uncommon.* Auguſt. P.

LYCHNIS ſylveſtris anguſtifolia caliculis turgidis ſtriatis. R. S. 341.
SILENE *conoidea.* H. F. 165.
Narrow-leaved Campion.
On the Sandhills near Deal — *uncommon.* July.

LYCHNIS ſylveſtris flore albo. R. S. 339.
LYCHNIS *dioica*. H. F. 174.
Wild white Campion.
In Woods and Hedges — not uncommon. June. P.

LYCHNIS ſylveſtris flore rubello. R. S. 339.
LYCHNIS *dioica*. H. F. 174. β.
Red flowered wild Campion.
In Woods and Hedges — common. June. P.

LYCHNIS ſylveſtris, quæ Behen album vulgo. R. S. 337.
CUCUBALUS *Behen*. H. F. 163.
Spatling Poppy, Bladder Campion, or white Corn Campion.
In dry Paſtures, and in Corn fields—common. July. P.

LYCOPUS paluſtris glaber. R. S. 236.
LYCOPUS *europæus*. H. F. 8.
Water Horehound.
On the Banks of the River, and in boggy Places — common. July. P.

LYSIMACHIA campeſtris. R. S. 311.
EPILOBIUM *montanum*. H. F. 141.
The greater ſmooth-leaved Willow-herb, or Looſe-ſtrife.
By the ſides of Ditches, and under moiſt Hedges — common. July. B.

LYSI-

LYSIMACHIA lutea. R. S. 282.
LYSIMACHIA *vulgaris*. H. F. 72.
Yellow Willow-herb, or Looſe-ſtrife.
On the ſwampy Ground near Stone Bridge — *very uncommon.* Auguſt. P.

LYSIMACHIA ſiliquoſa glabra media ſive minor. R. S. 311.
EPILOBIUM *tetragonum*. H. F. 141.
Middle ſmooth-leaved Willow-herb, or Looſe-ſtrife.
In moiſt Ditches, and near the River —— *common.* July. P.

LYSIMACHIA ſiliquoſa glabra minor anguſtifolia. R. S. 311.
EPILOBIUM *paluſtre*. H. F. 141.
The leaſt ſmooth codded Willow-herb, or Looſe-ſtrife.
In moiſt Places — common. July. P.

LYSIMACHIA ſiliquoſa hirſuta magno flore. R. S. 311.
EPILOBIUM *ramoſum*. H. F. 141.
Great flowered Willow-herb, called Codlings and Cream.
On the ſides of the ſhooting Meadow Stream—*common.* July. P.

LYSIMACHIA ſiliquoſa hirſuta parvo flore. R. S. 311.
EPILOBIUM *hirſutum*. H. F. 140.
The leſſer hairy codded Willow-herb, or Looſe-ſtrife.
On the ſides of the ſhooting Meadow Stream—*common.* July. P.

LYSI-

LYSIMACHIA ſpecioſa, quibuſdam Onagra dicta. R. S. 310.
EPILOBIUM *anguſtifolium*. H. F. 140.
Roſebay Willow-herb.
In a Wood Hedge beyond the five Mile Stone to Charing — *very uncommon*. July. P.

M.

MALUS ſylveſtris. R. S. 452.
PYRUS *Malus*. H. F. 189.
The Crab Tree.
In Hedges — not uncommon. May. S.

MALVA ſylveſtris minor. R. S. 251.
MALVA *rotundifolia*. H. F. 268.
Small wild or Dwarf Mallow.
On dry Banks by Road ſides — common. July to October. A.

MALVA vulgaris. R. S. 251.
MALVA *ſylveſtris*. H. F. 268.
Common Mallow.
Under Hedges, by Way ſides, and on Rubbiſh — very common. July. B.

MARRUBIUM album. R. S. 239.
MARRUBIUM *vulgare*. H. F. 228.
White Horehound.
On Sheldwich Lees — *not common*. July. P.

MATRI-

MATRICARIA. R. S. 187.
MATRICARIA *Parthenium.* H. F. 321.
Feverfew.
Under Hedges, and on old Walls—common. June. P.

MELAMPYRUM ſylvaticum flore luteo. R. S. * 286.
MELAMPYRUM *ſylvaticum.* H. F. 236.
Common Cow-wheat with a yellow Flower.
In Byſing Wood—*very common.* June to Auguſt. A.

MELILOTUS vulgaris. R. S. 331.
TRIFOLIUM *Melilotus officinalis.* H. F. 282.
Common Melilot.
Amongſt the Corn at Halſto—*plentifully.* July. B.

* MELISSA officinalis. Miller Botan. Off. 290.
MELISSA *officinalis.* Lin. Syſtem. Nat. II. p. 400.
Common Garden Balm.
Under Hedges in Boughton *and* Davington —— *uncommon.* July. P.

MENIANTHES paluſtre triphyllum latifolium et anguſtifolium. R. S. 285.
MENYANTHES *trifolia.* H. F. 71.
Marſh Trefoil, or Buckbean.
In the moiſt Meadows of the Abbey—*common.* July. P.

MENTHA

MENTHA aquatica ſeu Syſimbrium. R. S. 233.
MENTHA *aquatica*. H. F. 223.
Water-mint.
In moiſt Places, and by the River ſide — very common. Auguſt. P.

MENTHA ſeu Calamintha aquatica. R. S. 232.
MENTHA *arvenſis*. H. F. 223.
Water-mint with whirled coronets.
On the ſides of Ditches, and in Corn fields — common. Auguſt. P.

MENTHA ſpicata anguſtifolia glabra ſpica latiore. R. S. 234.
MENTHA *ſpicata*. H. F. 221.
Spear-mint.
On the Side of the River oppoſite the Powder Stove — *very uncommon.* Auguſt. P.

MENTHASTRUM folio rugoſo rotundiore ſpontaneum flore ſpicato odore gravi. R. S. 234.
MENTHA *rotundifolia*. H. F. 221.
Round leaved Horſe-mint.
In a Meadow behind King's Mill — *uncommon.* Auguſt. P.

MENTHASTRUM ſpicatum folio longiore candicante. R. S. 234.
MENTHA *longifolia*. H. F. 221.
Long leaved Horſe-mint.
On the Banks of the River above Oſpringe Church — *not uncommon.* Auguſt. P.

MER-

MERCURIALIS annua glabra vulgaris, Mercurialis mas et Foemina. R. S. 139.
MERCURIALIS *annua*. H. F. 371.
French Mercury.
On Rubbiſh and in Gardens — not common. September. A.

MERCURIALIS perennis repens. Cynocrambe dicta. R. S. 138.
MERCURIALIS *perennis*. H. F. 371.
Dog's Mercury.
In Woods and under Hedges—very common. April. P.

MESPILUS Apii folio ſylveſtris ſpinoſa, ſive Oxyacantha. R. S. 453.
CRATÆGUS *Oxyacantha*. H. F. 188.
The white Thorn, or Hawthorn, called Quick.
In Woods and Hedges — very common. May. S.

MESPILUS Apii folio ſylveſtris non ſpinoſa. R. S. 453.
CRATÆGUS *torminalis*. H. F. 188.
The common or wild Service-tree, or Sorb.
In the Woods about Chart — *uncommon.* April or May. S.

MILLEFOLIUM vulgare. R. S. 183.
ACHILLEA *Millefolium*. H. F. 324.
Common Yarrow, Millfoil, or Noſe-bleed.
In Meadows and Paſtures — very common. June. P.

MOL-

MOLLUGO montana minor Gallio albo ſimilis. R. S. 224.

GALIUM *montanum.* H. F. 56.

Small mountain baſtard Madder, or mountain Ladies Bedſtraw.

In the Corn fields about Sindal—*not uncommon.* July. P.

MOLLUGO vulgatior. R. S. 223.

GALIUM *Mollugo.* H. F. 56.

Wild Madder, or great baſtard Madder.

In Hedges and buſhy Places—very common. July. P.

MOLLUGINIS vulgatioris varietas minor. R. S. 224.

GALIUM *paluſtre.* H. F. 57.

White Ladies Bedſtraw.

On the ſides of the ſhooting Meadow Stream—*common.* July. P.

MOSCHATELLINA foliis fumariæ bulboſæ. R. S. 267.

ADOXA *Moſchatellina.* H. F. 150.

Tuberous Moſchatell.

In Woods and Hedges—very common. April. P.

MYOSOTIS ſcorpioides hirſuta. R. S. 229.

MYOSOTIS *ſcorpioides.* H. F. 65.

Mouſe-ear Scorpion graſs.

In Woods, on old Walls and dry Paſtures——common. April to Auguſt. P.

MYOSO-

MYOSOTIS ſcorpioides paluſtris. R. S. 229.
MYOSOTIS *ſcorpioides*. H. F. 65. δ.
Water Scorpion-graſs.
On the ſides of Ore Mill-pond—*not common.* April to Auguſt. P.

MYRRHIS ſylveſtris ſeminibus aſperis. R. S. 220.
SCANDIX *Anthriſcus*. H. F. 108.
Small Hemlock-Chervil with rough Seeds.
Under Hedges, and by the ſides of Ditches —— *common.* May. A.

N.

NAPUS ſylveſtris. R. S. 295.
BRASSICA *Napus*. H. F. 253.
Wild Navew.
Amongſt Corn, and by the ſides of Ditches——*common.* May. B.

NARCISSUS ſylveſtris pallidus calyce luteo. R. S. 371.
NARCISSUS *Pſeudo Narciſſus*. H. F. 123.
Wild Engliſh Daffodil.
In the Orchards near Selling-Street—*very uncommon.* April. P.

NASTURTIUM ſupinum capſulis verrucoſis, ſive Coronopus Ruellii. R. S. 304.
COCHLEARIA *Coronopus*. H. F. 248.
Swine's Creſs.
On the ſides of Roads and Foot-paths — *very common.* July. A.

NEPETA

NEPETA major vulgaris. R. S. 237.
NEPETA *Cataria*. H. F. 220.
Nep, or Cat-mint.
Under the West Hedge of King's-Field — *not common.*
July. P.

NUMMULARIA. R. S. 283.
LYSIMACHIA *Nummularia*. H. F. 73.
Money-wort, or Herb Two-pence.
In moist Hedges at Luddenham, *and near* Provender — *not common.* June. P.

NUMMULARIA minor flore purpurascente. R. S. 283.
LYSIMACHIA *tenella*. H. F. 73.
Purple flowered Money-wort.
In moist Meadows by the Abbey —— *not uncommon.*
July. P.

NYMPHÆA alba. R. S. 368.
NYMPHÆA *alba*. H. F. 206.
White Water Lilly.
In Ham Ponds *near* Sandwich—*uncommon.* July. P.

NYMPHÆA lutea. H. F. 368.
NYMPHÆA *lutea*. H. F. 206.
Yellow Water Lilly.
In Ore Mill Pond — *uncommon.* July. P.

OENAN-

O.

OENANTHE *aquatica.* R. S. 210.
OENANTHE *fistulosa.* H. F. 104.
Water Dropwort.
In the Ditches near Fairbrook—*common.* July. P.

OENANTHE Cicutæ facie. Lobellii. R.S. 210.
OENANTHE *crocata.* H. F. 105.
Hemlock Dropwort.
In the Water-lane *between* Sitingbourn *and* Milton—*very uncommon.* June. P.

ONOBRYCHIS seu Caput gallinaceum. R.S. 327.
HEDYSARUM *Onobrychis.* H. F. 281.
Saintfoin or Cock's-head.
On the chalky Hills — common. June. P.

OPHIOGLOSSUM. R. S. 128.
OPHIOGLOSSUM *vulgatum.* H. F. 382.
Adders Tongue.
In Meadows at Ospringe *and* Luddenham — *not uncommon.* May. P.

OPULUS Ruellii. R. S. 460.
VIBURNUM *Opulus.* H. F. 112.
Water Elder, or Cherrywood.
In Badgen Wood, *and in Hedges — not uncommon.* June. S.

ORCHIS abortiva rufa ſive Nidus avis. R. S. 382.
OPHRYS *Nidus avis.* H. F. 338.
Birds-neſt Orchis.
In Byſing *and* Jud's Woods —— *very uncommon.*
June. P.

ORCHIS alba bifolia minor calcari oblongo.
R. S. 380.
ORCHIS *bifolia.* H. F. 333.
Butterfly Orchis.
In Badgen *and* Cockſet Woods —— *not common.*
May. P.

ORCHIS anthropophora oreades. R. S. 397.
OPHRYS *anthropophora.* H. F. 340.
The Green Man Orchis.
On chalky Banks — common. June. P.

ORCHIS fuciflora galea et alis purpuraſcentibus.
R. S. 379.
OPHRYS *apifera.* H. F. 340.
The Bee Orchis.
In Meadows in Oſpringe—*not uncommon.* June. P.

ORCHIS galea et alis fere cinereis. R. S. 378.
ORCHIS *militaris.* H. F. 335.
The Man Orchis.
On chalky buſhy Banks beyond Whitehill, Oſpringe —
not common. June. P.

Orchis Morio fœmina flore pleno

ORCHIS magna latifolia galea fuſca vel nigricante. R. S. 378.
ORCHIS *purpurea*. H. F. 334.
The purple Man Orchis.
In Cockſet *and* Jud's Woods—*uncommon*. May. P.

ORCHIS morio fœmina. R. S. 377.
ORCHIS *morio*. H. F. 333.
Female Orchis, or Female Fools Stones.
In Meadows — very common. In a Meadow near Cades *in* Oſpringe, *ſome of a Roſe Colour, ſome white, and a very few with double Flowers.* May and June. P.

ORCHIS morio mas foliis maculatis. R. S. 376.
ORCHIS *maſcula*. H. F. 333.
Male Orchis, or Male Fools Stones.
In Hedges and Meadows—very common. May. P.

ORCHIS myodes galea et alis herbidis. R.S. 379.
OPHRYS *muſcifera*. H. F. 340.
The Fly Orchis.
Among the Buſhes in Oſpringe Parſonage *Meadows— not uncommon*. June. P.

ORCHIS odorata moſchata. R. S. 378.
OPHRYS *Monorchis*. H. F. 339.
Yellow or Muſk Orchis.
On the chalky Banks of Oſpringe Parſonage *Meadows — uncommon*. June. P.

ORCHIS palmata minor flore luteo-viridi. R. S. 381.
SATYRIUM *viride*. H. F. 337.
Frog Satyrion or Orchis.
On dry graſſy Banks near Whitehill —— *uncommon*. June. P.

ORCHIS palmata pratenſis latifolia longis calcaribus. R. S. 380.
ORCHIS *latifolia*. H. F. 335.
Male handed Orchis, or Satyrion royal.
On moiſt boggy Grounds about Ore Mill —— *not uncommon*. June. P.

ORCHIS palmata ſpecioſiore thyrſo, folio maculato. R. S. 381.
ORCHIS *maculata*. H. F. 335.
Female handed Orchis, or Satyrion royal.
In Chalk Pits — common. June. P.

ORCHIS pannonica. R. S. 377.
ORCHIS *uſtulata*. H. F. 334.
Little purple flowered Orchis.
On the South ſide of Chatham Hill —— *plentifully*. May. P.

ORCHIS purpurea ſpica congeſta pyramidali. R. S. 377.
ORCHIS *pyramidalis*. H. F. 334.
Purple late flowering Orchis.
On chalky Banks in Oſpringe — *common*. July. P.

ORCHIS ſpiralis alba odorata, ſive Triorchis.
R. S. 378.
OPHRYS *ſpiralis.*
Triple Ladies Traces.
In Oſpringe Parſonage *Meadows* —— *uncommon.*
September. P.

ORCHIS ſive Teſticulus ſphegodes hirſuto flore.
R. S. 380.
OPHRIS *apifera.* H. F. 340. β.
Humble Bee Orchis with green Wings.
On the Banks of Whitehill *in* Selling —— *uncommon.*
April. P.

ORIGANUM Onites. R. S. 236.
ORIGANUM *Onites.* H. F. 229.
Pot Marjoram.
In Walderſhare Park—*very uncommon.* Auguſt. P.

ORIGANUM vulgare ſpontaneum. R. S. 236.
ORIGANUM *vulgare.* H. F. 229.
Wild Marjoram.
Under Hedges, and in buſhy Places —— *very common.*
July. P.

ORNITHOPODIUM radice nodoſa. R. S. 326.
ORNITHOPUS *perpuſillus.* H. F. 280.
Birds Foot.
In Broom fields at Hernhill—*common.* May to Auguſt. P.

OROBANCHE major Garyophyllum olens. R. S. * 288.
OROBANCHE *major*. H. F. 232.
Broom-rape.
In Broom fields — not uncommon. June. B.

OROBUS ſylvaticus foliis oblongis glabris. R. S. 324.
OROBUS *tuberoſus*. H. F. 274.
Wood Pea, or Heath Pea.
In Jud's Wood — *very common.* May. P.

OSTRYA Ulmo ſimilis, fructu in umbilicis foliaceis. R. S. 451.
CARPINUS. *Betulus*. H. F. 360.
The Horn-beam Tree, or Horſe-Beech.
In Woods — common. May. S.

OXYS alba. R. S. * 281.
OXALIS *Acetoſella*. H. F. 173.
Wood Sorrel.
In Byſing *and* Jud's Woods — *common.* June. A.

P.

PAPAVER corniculatum luteum. R. S. 309.
CHELIDONIUM *Glaucium*. H. F. 202.
Yellow horned Poppy.
On the Beach at Sea-Salter — *common.* July. A.

PAPAVER

PAPAVER corniculatum luteum. Chelidonia dictum. R. S. 309.
CHELIDONIUM *majus*. H. F. 201.
The greater Celandine.
Among Rubbish, and on old Walls—common. June. P.

PAPAVER laciniato folio capitulo breviore glabro annuum, Rhœas dictum. R. S. 308.
PAPAVER *Rhœas*. H. F. 203.
Red Poppy, or Corn Poppy.
In Corn fields — very common. July. A.

PARIETARIA. R. S. 158.
PARIETARIA *officinalis*. H. F. 376.
Pellitory of the Wall.
On old Walls — very common. July. P.

PARONYCHIA vulgaris. R. S. 292.
DRABA *verna*. H. F. 243.
Common Whitlow Grass.
On old Walls and dry Pastures —— very common. April. A.

PASTINACA sylvestris latifolia. R. S. 206.
PASTINACA *sativa*. H. F. 109.
Wild Parsnep.
On the chalky Bank by the Roadside near Wilderton—*uncommon.* July. B.

PEDI-

PEDICULARIS ſeu Criſta galli lutea. R. S. * 284.

RHINANTHUS *Criſta galli.* H. F. 234.

Yellow Rattle, or Cocks-comb.

In Byſing Wood, *and by Road ſides—common.* July. A.

PEDICULARIS paluſtris rubra elatior. R. S. * 284.

PEDICULARIS *paluſtris.* H. F. 236.

Great Marſh red Rattle, Cocks-comb, Louſe-wort.

About the Powder Mills *at* Ore—*not common.* June. A.

PEDICULARIS pratenſis rubra vulgaris. R. S. * 284.

PEDICULARIS *ſylvatica.* H. F. 236.

Red Rattle, Cocks-comb, Louſe-wort.

In Jud's Wood — *common.* June. P.

PENTAPHYLLOIDES Argentina dicta. R. S. 256.

POTENTILLA *Argentina.* H. F. 195.

Wild Tanſey, or Silver-weed.

By the ſides of Roads and Paths—common. July. P.

PENTAPHYLLUM erectum foliis profunde ſectis ſubtus argenteis flore luteo. R. S. 255.

POTENTILLA *argentea.* H. F. 196.

Tormentil Cinquefoil.

In a Road hedge near Newnham.—*uncommon.* May. P

PENTA-

PENTAPHYLLUM vulgatiſſimum. R. S. 225.
POTENTILLA *reptans*. H. F. 197.
Common Cinquefoil, or Five-fingered Graſs.
By the ſides of Roads and Paths—common. June. P.

PENTAPTEROPHYLLON aquaticum, floſculis ad foliorum nodos. R. S. 316.
MYRIOPHYLLUM *verticillatum*. H. F. 357.
Verticillated Water-millfoil.
In the Ditches of Graveney Marſh — *not uncommon.* July. P.

PERCEPIER Anglorum. R. S. 159.
APHANES *arvenſis*. H. F. 60.
Purſley-piert.
Upon barren Lands and old Walls—common. May. A.

PERSICARIA latifolia geniculata caulibus maculatis. R. S. 145.
POLYGONUM *Perſicaria*. H. F. 147. β.
Dead or ſpotted Arſmart.
In Fields, and on Rubbiſh — common. Auguſt. A.

PERSICARIA maculoſa. R. S. 145.
POLYGONUM *Perſicaria*. H. F. 147.
Dead or ſpotted Arſmart.
In Meadows and Ditches — very common. Sept. A.

PERSI-

PERSICARIA mitis major foliis pallidioribus. R. S. 145.
POLYGONUM *penſylvanicum*. H. F. 148.
Greater dead Arſmart with pale Leaves.
On a Dunghill at Staple Street —— *uncommon.*
Auguſt. A.

PERSICARIA ſalicis folio perennis, Potamogiton anguſtifolium dicta. R. S. 145.
POLYGONUM *amphibium*. H. F. 147.
Perennial Willow-leaved Arſmart.
On the ſides of the Abby Ditches —— *not common.*
July. P.

PERSICARIA vulgaris acris, ſeu Hydropiper. R. S. 144.
POLYGONUM *Hydropiper*. H. F. 148.
Lakeweed, Arſmart, Water-pepper.
In moiſt Places and wet Ditches —— very common.
Auguſt. A.

PETASITES. R. S. 179.
TUSSILAGO *Petaſites*. H. F. 315.
Common Butter Bur, Peſtilent-wort.
Near Waterham *in* Hernhill—*uncommon.* March. P.

* PETROSELINUM vulgare. Miller. Botan. Officinal. 324.
APIUM *Petroſelinum*. Linnæi Syſtem. Natur. II. p. 217.
Common Parſley.
On the Weſt Church-yard Wall —— *very uncommon.*
June. B.

PEU-

PEUCEDANUM. R. S. 206.
PEUCEDANUM *officinale*. H. F. 101.
Hog-fennel, or Sulphur-wort.
On the Wall leading to Thorn Creek —— *plentifully*.
June. P.

PHELLANDRIUM vel Cicutaria aquatica quorundam. R. S. 215.
PHELLANDRIUM *aquaticum*. H. F. 107.
Water Hemlock.
On boggy Ground between Staple-Street *and* Hernhill Church — *uncommon*. July. B.

PHYLLITIS ſeu Lingua cervina vulgo. R.S. 116.
ASPLENIUM *Scolopendrium*. H. F. 384.
Hart's Tongue.
In ſhady Lanes, hollow Ways, and on Walls——*common*. P.

PILOSELLA repens. R. S. 170.
HIERACIUM *Piloſella*. H. F. 298.
Common creeping Mouſe-ear.
On dry ſandy Banks — common. May. A.

PIMPINELLA Saxifraga. R. S. 213.
PIMPINELLA *major*. H. F. 110.
Great Burnet-ſaxifrage.
In a thick Hedge beyond Whitehill —— *uncommon*.
Auguſt. P.

PIMP-

PIMPINELLA Saxifraga minor. R. S. 213.
PIMPINELLA *Saxifraga*. H. F. 111. β.
Small Burnet-saxifrage with divided Leaves.
In Meadows in Hernhill —— *not uncommon*. Auguſt. P.

PIMPINELLA Saxifraga minor foliis ſanguiſorbæ. R. S. 213.
PIMPINELLA *Saxifraga*. H. F. 111.
The leſſer round leaved Burnet-ſaxifrage.
In dry Paſtures —— *common*. Auguſt and September. P.

PLANTAGO aquatica. R. S. 257.
ALISMA *Plantago*. H. F. 137.
Great Water Plantain.
In moiſt Places, and on the ſides of Ponds —— *common*. Auguſt. P.

PLANTAGO foliis laciniatis, Coronopus dicta.
PLANTAGO *Coronopus*. H. F. 52.
Buck's-horn Plantain, Star of the Earth.
In the Abby Meadows—*very common*. Auguſt. A

PLANTAGO latifolia vulgaris. R. S. 314.
PLANTAGO *major*. H. F. 51.
Great Plantain, Way-bread.
By Way ſides —— *very common*. July. P. The Plantago panicula ſparſa, found in *Perry-field*, is an elegant variety of this Plant, but very uncommon.

PLAN-

PLANTAGO major incana. R. S. 314.
PLANTAGO *media*. H. F. 51.
Hoary Plantain.
By Road ſides — common. July. P.

PLANTAGO marina. R. S. 315.
PLANTAGO *Loeflingii*. H. F. 52.
Sea Plantain.
On the ſides of the Ditches and Sea Walls —common. July. P.

PLANTAGO *maritima*. H. F. 52.
Narrow leaved Plantain.
In the Brent Marſhes—*not uncommon*. July. P.

PLANTAGO quinquenervia. R. S. 314.
PLANTAGO *lanceolata*. H. F. 52.
Rib-wort, or Rib wort Plantain.
In Fields and Meadows —— very common. June to Auguſt. P.

POLYGALA. R. S. * 287.
POLYGALA *vulgaris*. H. F. 271.
Milk-wort.
In dry Fields, and under Hedges —— very common. June. P.

POLYGONUM brevi anguſtoque folio. R.S 146.
POLYGONUM *aviculare.* H. F. 149. β.
Knot-graſs with a ſmall narrow Leaf.
By Road ſides—common. June to September. A.

POLYGONUM mas vulgare. R. S. 145.
POLYGONUM *aviculare.* H. F. 149.
Common Knot-graſs.
In uncultivated Ground, and by Way ſides —— very common. June to October. A.

POLYGONUM oblongo anguſtoque folio. R. S. 146.
POLYGONUM *aviculare.* H. F. 149. γ.
Knot-graſs with a more oblong narrow Leaf.
In Corn fields at Hernhill *— common.* June to September. A.

POLYPODIUM. R. S. 117.
POLYPODIUM *vulgare.* H. F. 387.
Common Polypody.
In Byſing Wood, *and on Banks of hollow Ways —— common.* P.

POPULAGO; ſive Caltha paluſtris. R. S. 272.
CALTHA *paluſtris.* H. F. 214.
Marſh Marigold.
In the Brent Marſhes—*very common.* April. P.

POPU-

POPULUS alba. R. S. 446.
POPULUS *alba*. H. F. 370.
The White Poplar, or Abele Tree.
In moiſt Woods, and boggy Places —— common.
March. S.

POPULUS Lybica Plinii. R. S. 446.
POPULUS *tremula*. H. F. 370.
The Aſp, or Trembling Poplar.
In moiſt Places in Hernhill —— *not uncommon.*
March. S.

POPULUS major. R. S. 446.
POPULUS *nigra*. H. F. 370.
The Black Poplar.
In moiſt boggy Places in Hernhill — *not uncommon.*
March. S.

PORTULA. R. S. 368.
PEPLIS *Portulaca*. H. F. 128.
Water Purſlane.
In the Brent Meadows — *not uncommon.* September. P.

POTAMOGITON foliis pennatis. R. S. 150.
MYRIOPHYLLUM *ſpicatum*. H. F. 357.
Feathered or ſpiked Water Millfoil.
In the Powder Mill *Waters*, and Graveney Marſh *Dykes — common.* July. P.

POTAMOGITON ſeu Fontalis criſpa. Tribulus aquaticus. R. S. 149.
POTAMOGETON *criſpum.* H. F. 61.
The greater Water Caltrops.
In the Powder Mill Waters—*common.* June. P.

POTAMOGETON ſeu Fontalis media lucens. R. S. 149.
POTAMOGETON *ſerratum.* H. F. 61.
The leſſer Water Caltrops, or Frog's Lettuce.
In the River near the Powder Stove—*not uncommon.* June. P.

POTAMOGITON gramineum latiuſculum foliis et ramificationibus denſe ſtipatis. R. S. 149.
POTAMOGETON *granineum.* H. F. 62.
Graſs leaved Pond-weed.
In the ſhallow Waters about the Powder Mills — *not common.* P.

POTAMOGITON maritimum ramoſiſſimum grandiuſculis capitulis, capillaceo folio noſtras. R. S. 150.
POTAMOGETON *marinum.* H. F. 63.
Sea Pond-weed.
In Dykes near Sheerneſs — *uncommon.* Auguſt. P.

POTAMOGITON millefolium, ſeu foliis gramineis ramoſum. R. S. 150.
POTAMOGETON *pectinatum.* H. F. 62.
Fine or Fennel-leaved Pond-weed.
In Oſpringe River — *not common.* June. P.

POTAMOGITON perfoliatum. R. S. 149.
POTAMOGETON *perfoliatum*. H. F. 60.
Perfoliated Pond-weed.
In Ofpringe River — *common*. July. P.

POTAMOGITON rotundifolium. R. S. 148.
POTAMOGETON *natans*. H. F. 60.
Broad leaved Pond-weed.
In a Pond near Uplees — *uncommon*. Auguft. P.

PRIMULA pratenfis inodora lutea. R. S. 284.
PRIMULA *veris*. H. F. 70. β.
Great Cowflips, or Oxflips.
In thick Hedges beyond Whitehill — *not common*. April. P.

PRIMULA veris major. R. S. 284.
PRIMULA *veris*. H. F. 71. α.
Common Pagils, or Cowflips.
In Meadows and Hedges—very common. April. P.

PRIMULA veris vulgaris. R. S. 284.
PRIMULA *vulgaris*. H. F. 70.
Common Primrofe.
In Woods and Hedges — very common. February to May. P.

PRUNELLA. R. S. 238.
PRUNELLA *vulgaris*. H. F. 231.
Common Self-heal.
In Meadows — common. Auguſt. P.

PRUNUS ſylveſtris. R. S. 48.
PRUNUS *ſpinoſa*. H. F. 186.
The Black Thorn, or Sloe Tree.
In Hedges — very common. April. S.

PRUNUS ſylveſtris major. R. S. 462.
PRUNUS *inſititia*. H. F. 186.
The black Bullace Tree.
In ſome Hedges near Rickeſey-Lane *in* Selling —— *uncommon.* April. S.

PRUNUS ſylveſtris fructu majore albo. R.S. 462.
PRUNUS *inſititia*. H. F. 186. γ.
The white Bullace Tree.
In Hedges at Cades *in* Oſpringe, *and at* Selling — *uncommon.* April. S.

PRUNUS ſylveſtris fructu rubro acerbo et ingrato. R. S. 463.
PRUNUS *inſititia*. H. F. 186. β.
The Scad Tree.
In Hedges — not uncommon. April. S.

PTAR-

PTARMICA. R. S. 183.
ACHILLEA *Ptarmica*. H. F. 325.
Sneeze-wort, Baſtard Pellitory, or Gooſe-tongue.
In Davington Brooks — *uncommon*. Auguſt. P.

PULEGIUM. R. S. 235.
MENTHA *Pulegium*. H. F. 224.
Penny-royal, or Pudding-graſs.
In a ſmall Pond at Elvyland *in* Oſpringe—*uncommon*.

PYRASTER ſeu Pyrus ſylveſtris. R. S. 452.
PYRUS *communis*. H. F. 189.
The Wild Pear Tree.
In the Wood leading from Keneways *to* Wilderton — *very uncommon*. April. S.

Q.

QUERCUS latifolia. R. S. 440.
QUERCUS *Robur*. H. F. 359.
The common Oak Tree.
In Woods—very common. April. P.

QUERCUS latifolia mas quæ brevi pediculo eſt. R. S. 440.
QUERCUS *Robur*. H. F. 359. β.
The Oak Tree.
In Woods and Hedges—common. April. S.

RADI-

R.

RADICULA ſylveſtris ſeu paluſtris. R. S. 301.
SISYMBRIUM *amphibium*. H. F. 258. α.
Water Radiſh.
About the Powder-Mill Waters —— *not common.*
June. P.

RADIOLA vulgaris ſerpyllifolia Millegrana minima. R. S. 345.
LINUM *Radiola*. H. F. 117.
The leaſt Rupture-wort, or All-ſeed.
On ſandy Banks between Ore *and* Luddenham —— *common.* A.

RANUNCULO ſive Polyanthemo aquatili albo affine. R. S. 250.
RANUNCULUS *aquatilis*. H. F. 213. γ.
Fennel-leaved Crow-foot.
In Running Waters — common. May. P.

RANUNCULUS aquaticus albus, circinatis tenuiſſime diviſis foliis, floribus ex alis longis pediculis innixis. R. S. 249.
RANUNCULUS *aquatilis*. H. F. 213. δ.
Fineſt leaved Water Crow-foot.
In the Brent Dykes — *common.* April to June. P.

RANUN-

RANUNCULUS aquatilis. R. S. 249.
RANUNCULUS *aquatilis*. H. F. 213.
Various leaved Water Crow-foot.
In the ſhooting Meadow Stream —— *common.*
May. P.

RANUNCULUS aquatilis hederaceus albus.
R. S. 249.
RANUNCULUS *hederaceus*. H. F. 212.
Ivy leaved Water Crow-foot.
By the Wall that leads to Thorn—*common.* May. P.

RANUNCULUS aquatilis omnino tenuifolius.
R. S. 249.
RANUNCULUS *aquatilis*. H. F. 213. β.
Fine leaved Water Crow-foot.
In Oſpringe River *near* Whitehill—*common.* April
to June. P.

RANUNCULUS arvorum. R. S. 248.
RANUNCULUS *arvenſis*. H. F. 212.
Corn Crow-foot.
In Corn fields—very common. June. A.

RANUNCULUS bulboſus. R. S. 247.
RANUNCULUS *bulboſus*. H. F. 211.
Round rooted or bulbous Crow-foot, or Butter-
cups
In Meadows — very common. May. P.

RANUN-

RANUNCULUS flammeus major. R. S. 250.
RANUNCULUS *Lingua*. H. F. 210.
Great Spear-wort.
In the old Haven near Sandwich —— *very uncommon*.
May. P.

RANUNCULUS flammeus minor. R. S. 250.
RANUNCULUS *Flammula*. H. F. 210.
The leſſer Spear-wort.
In the ſhooting Meadow Stream—*common*. June to September. P.

RANUNCULUS nemoroſus dulcis ſecundus Tragi. R. S. 248.
RANUNCULUS *Auricomus*. H. F. 211.
Sweet wood Crow-foot, or Goldilocks.
In Woods and under Hedges—common. April. P.

RANUNCULUS paluſtris. R. S. 249.
RANUNCULUS *ſceleratus*. H. F. 212.
Round leaved Water Crow-foot.
On the Banks of the Brent Marſhes —— *common*.
June. A.

RANUNCULUS pratenſis erectus acris. R. S. 248.
RANUNCULUS *acris*. H. F. 211.
Upright Meadow Crow foot.
In Meadows —— very common. June. P.

RANUNCULUS pratenſis repens. R. S. 247.
RANUNCULUS *repens*. H. F. 210.
Common creeping Crow-foot.
On Beacon Hill — *common*. May. P.

RAPA

RAPA ſativa rotunda. R. S. 294.
BRASSICA *Rapa*. H. F. 253.
Turneps.
In Corn fields, and by Way ſides —— not uncommon.
April. B.

RAPISTRUM arvorum. R. S. 295.
SINAPIS *arvenſis*. H. F. 260.
Charlock, or Wild Muſtard.
In Fields among Corn—common. May. A.

RAPISTRUM flore luteo, ſiliqua glabra articulata.
R. S. 296.
RHAPHANUS *Rhaphaniſtrum*. H.F. 252. β.
Yellow flowered Charlock with a jointed Cod.
In Fields among Corn — common. July. A.

RAPUNCULUS Scabioſæ capitulo cæruleo.
R. S. 278.
JASIONE *montana*. H. F. 329.
Hairy Sheep's Scabious.
By the Way ſides near Dunkirk —— *uncommon.*
Auguſt. A.

RESEDA vulgaris. R. S. 366.
RESEDA *lutea*. H. F. 181.
Baſe Rocket.
In Boughton Chalk Pits — *not common.* July. A.

RHAM-

RHAMNOIDES fructifera, foliis Salicis, baccis leviter flavescentibus. R. S. 445.
HIPPOPHAE *Rhamnoides*. H. F. 368.
Sea Buck Thorn, or Sallow Thorn.
In Shepey, *uncommon*; *near* Sandown Castle — *plentifully*. April. S.

RHAMNUS catharticus. R. S. 466.
RHAMNUS *catharticus*. H. F. 83.
Buck Thorn, or Purging Thorn.
In Perry Wood *and* Badgen Down *Hedges* — *not common*. May. S.

RHAPHANISTRUM siliqua articulata glabra majore et minore. R. S. 296.
RHAPHANUS *Rhaphanistrum*. H. F. 252.
White flowered Charlock with a jointed Cod.
In Fields among Corn — *common*. June. A.

RHAPHANUS rusticanus. R. S. 301.
COCHLEARIA *Armoracia*. H. F. 248.
Horse Radish.
On the Banks of the River, *above the* Sluice, *and* [illegible] Ore Stream—*uncommon*. June. P.

RIBES nigrum vulgo dictum folio olente. R.S. 456
RIBES *nigrum*. H. F. 85.
Black Currants, or Squinancy Berries.
In the boggy Osier Ground near Stone Bridge — *uncommon*. May. S.

* RIBES vulgare fructu rubro. R. S. 465.
RIBES *rubrum*. H. F. 84.
Currants.
In ſome thick Hedges in Oſpringe —— *not common.*
May. S.

ROSA ſylveſtris altera minor, flore albo noſtras. R. S. 455.
ROSA *arvenſis*. H. F. 192.
White flowered Dog's Roſe.
In Hedges —— very common. June. S.

ROSA ſylveſtris inodora ſeu canina. R. S. 454.
ROSA *canina*. H. F. 192.
Red flowered wild Dog's Roſe, or Hep Tree.
In Hedges — very common. June. S.

* ROSA ſylveſtris odora. R. S. 454.
ROSA *Eglanteria*. H. F. 191.
Sweet Briar.
In a Hedge near Ore Stray —— *very uncommon.*
June. S.

ROSA pumila ſpinoſiſſima, foliis Pimpinellæ glabri flore albo. R. S. 455.
ROSA *ſpinoſiſſima*. H. F. 191.
The Burnet Roſe.
On the North ſide of Chatham Hill —— *uncommon.*
June. S.

RUBEOLA arvenſis repens cærulea. R. S. 225.
SHERARDIA *arvenſis*. H. F. 54.
Little Field Madder.
In Cades *new Wood, and in Broom fields in* Hernhill — *not uncommon*. May. A.

RUBEOLA vulgaris quadrifolia lævis floribus purpuraſcentibus. R. S. 225.
ASPERULA *Cynanchica*. H. F. 55.
Squinancy Wort.
In Oſpringe *Chalk Pits, and on* Badgen Down — July. P.

RUBUS Idæus ſpinoſus fructu rubro. R. S. 467.
RUBUS *Idæus*. H. F. 193.
The Raſpberry Buſh.
In Stocking Wood, *near* Lees Court, *and in* Perry Wood — *not common*. May. S.

RUBUS major fructu nigro. R. S. 467.
RUBUS *fruticoſus*. H. F. 193.
The Bramble, or Blackberry Buſh.
In Woods and Hedges — very common. June. S.

RUBUS minor fructu cæruleo. R. S. 467.
RUBUS *cæſius*. H. F. 193.
The ſmall Bramble, or Dew-berry Buſh.
In Woods and Hedges — common. July. S.

RUSCUS.

RUSCUS. R. S. 262.
RUSCUS *aculeatus*. H. F. 373.
Knee Holly, or Butcher's-broom.
In Oſpringe *Woods and Hedges—common.* April. P.

RUTA muraria. R. S. 122.
ASPLENIUM *Ruta muraria*. H. F. 386.
Wall Rue, White Maiden-hair, Tentwort.
On the Buttrices near the South Door of the Church — *very uncommon.* P.

S.

SALICARIA vulgaris purpurea foliis oblongis. R. S. 367.
LYTHRUM *Salicaria*. H. F. 179.
Purple-ſpiked Looſeſtrife, or Willow-herb.
In the ſwampy Ground near Stone-bridge — *not uncommon.* Auguſt. P.

SALICORNIA geniculata annua. R. S. 136.
SALICORNIA *europæa*. H. F. 1.
Marſh Sampire, Jointed Glaſs-wort, or Salt-wort.
In the Marſhes as you go to Thorn — *common.* Auguſt. A.

SALIX. R. S. 447.
SALIX *alba*. H. F. 366.
The common white Willow.
In moiſt Places about the Powder Mills—*not common.* April. S.

SALIX

SALIX folio articulato ſplendente flexilis. R. S. 448.

SALIX *amygdalina*. H. F. 363.

The round eared ſhining Willow, or Almond-leaved Willow.

In a Hedge as you enter Sheldwich Road—*uncommon*. May. S.

SALIX folio longiſſimo. R. S. 450.

SALIX *vimenalis*. H. F. 366.

The Oſier.

In moiſt Places — common. April. S.

SALIX latifolia rotunda. R. S. 449.

SALIX *capræa*. H. F. 366.

The common round-leaved Sallow.

In Woods and Hedges — common. April. S.

SALIX pumila foliis utrinque candicantibus et lanuginoſis. R. S. 447.

SALIX *arenaria*. H. F. 364.

Sand Willow.

On the Sand Downs near Deal—*plentifully*. June. S.

SAMBUCUS. R. S. 461.

SAMBUCUS *nigra*. H. F. 112.

Common Elder.

In Hedges — very common. May. S.

SAMBU-

SAMBUCUS humilis, ſeu Ebulus. R. S. 461.
SAMBUCUS *Ebulus*. H. F. 113.
Dwarf Elder, Wall-wort, or Dane-wort.
By the Road ſides near Boughton-Street —— *not uncommon*. July. P.

SAMOLUS Valerandi. R. S. 283.
SAMOLUS *Valerandi*. H. F. 79.
Round-leaved Water Pimpernel.
In the Brent Marſhes — *common*. June. P.

SANGUISORBA minor R. S. 203.
POTERIUM *Sanguiſorba*. H. F. 358.
Burnet.
On the chalky Hills in Oſpringe—*common*. July. P.

SANICULA ſive Diapenſia. R. S. 221.
SANICULA *europæa*. H. F. 96.
Sanicle.
In Woods — very common. May. P.

SAXIFRAGA aurea. R. S. 158.
CHRYSOSPLENIUM *oppoſitifolium*. H. F. 156.
Golden Saxifrage.
In Jud's Wood — *not common*. April. P.

SAXIFRAGA rotundifolia alba. R. S. 354.
SAXIFRAGA *granulata*. H. F. 159.
White Saxifrage, or Sen-green.
Upon Beacon Hill — *uncommon*. May. P.

SAXIFRAGA verna annua. R. S. 354.
SAXIFRAGA *tridactylites*. H. F. 159.
Rue-leaved Saxifrage, or Whitlow-grass.
On Houses and Walls — very common. April. A.

SCABIOSA major communior folio laciniato. R. S. 191.
SCABIOSA *arvensis*. H. F. 50.
Common Field Scabious.
In moist Fields among Corn, and on Bank sides — common. August. P. With a proliferous Flower in *Badgen Wood*, uncommon.

SCABIOSA minor vulgaris. R. S. 191.
SCABIOSA *Columbaria*. H. F. 50.
The lesser Field Scabious.
In dry hilly Places — not uncommon. July. P.

SCABIOSA radice succisa, flore globoso. R.S. 191.
SCABIOSA *Succisa*. H. F. 50.
Devil's-Bit.
In Bysing Wood *and the* Abby Meadows—*common*. August. P.

SCAN-

SCANDIX ſemine roſtrato vulgaris. R. S. 207.
SCANDIX *Pecten Veneris.* H. F. 107.
Shepherd's Needle, or Venus Comb.
In Fields among Corn—very common. July. A.

SCORODONIA ſeu Salvia agreſtis. R. S. 245.
TEUCRIUM. *Scorodonia.* H. F. 219.
Wood Sage.
In Byſing Wood — *very common.* July. P.

SCROPHULARIA aquatica major. R. S. * 283.
SCROPHULARIA *aquatica.* H. F. 239.
Water Betony, Water Figwort.
On the Banks of the River, *and in moiſt Ditches—— common.* July. P.

SCROPHULARIA major. R. S. * 283.
SCROPHULARIA *nodoſa.* H. F. 239.
Common knobby-rooted Figwort.
In moiſt Hedges — common. July. P.

SEDUM minimum non acre flore albo. R. S. 270.
SEDUM *annuum.* H. F. 172.
Mountain Stone-crop.
On the Beach near Sandown Caſtle —— *plentifully.* Auguſt. P.

SEDUM

SEDUM minus hæmatoides. R. S. 269.
SEDUM *reflexum*. H. F. 170. β.
Yellow Stone-crop, or Prick-madam.
On the Abby Walls — *common*. July. P.

SEDUM minus luteum ramulis reflexis. R. S. 270.
SEDUM *reflexum*. H. F. 170.
Yellow reflexed Stone-crop.
On the Abby Walls — *common*. July. P.

SEDUM parvum acre flore luteo. R. S. 270.
SEDUM *acre*. H. F. 171.
Stone-crop, or Wall-pepper.
On Walls and Houſes — not uncommon. July. P.

SEDUM *ſexangulare*. H. F. 171.
Inſipid Stone-crop.
Near Sheerneſs —— *plentifully*. July. B.

SEMPERVIVUM majus. R. S. 269.
SEMPERVIVUM *tectorum*. H. F. 185.
Houſe-leek, or Sengreen.
On Walls and tiling of Houſes —— not uncommon. July. P.

SENECIO

SENECIO vulgaris. R. S. 178.
SENECIO *vulgaris.* H. F. 315.
Common Groundſel, or Simſon.
In Fields and under Hedges —— very common.
May. A.

SERPYLLUM citratum. R. S. 230.
THYMUS *Serpyllum.* H. F. 229. ε.
Lemon Thyme.
On Badgen Down — *not common.* July. P.

SERPYLLUM vulgare. R. S. 230.
THYMUS *Serpyllum.* H. F. 229.
Mother of Thyme.
On dry hilly Ground —— very common. July. P.

SERRATULA. R. S. 196.
SERRATULA *tinctoria.* H. F. 304.
Saw-wort.
Near the late Decoy Ponds at Graveney—*uncommon.*
July. P.

SESELI pratenſe noſtras. R. S. 216.
SESELI *Caruifolia.* H. F. 106.
Meadow Saxifrage.
In the low Meadows in Hernhill, *and in* Shepey ——
not uncommon. Auguſt. P.

SIDERI-

SIDERITIS anglica ſtrumoſa radice. R. S. 242.
STACHYS *paluſtris*. H. F. 227.
Clowns Allheal.
In moiſt Places, and near the River —— *common.*
Auguſt. P.

SIDERITIS arvenſis rubra. R. S. 242.
GALEOPSIS *Ladanum*. H. F. 225.
Narrow leaved Allheal, or Iron-wort.
In Oſpringe *Corn fields* — *common*. Auguſt. A.

SIDERITIS humilis lato obtuſo folio. R. S. 242.
GLECHOMA *arvenſis*. H. F. 224.
Upright Ground Ivy.
In Ore *Corn fields* —— *common*. Auguſt. A.

* SINAPI album ſiliqua hirſuta, ſemine albo vel ruffo. R. S. 295.
SINAPIS *alba*. H. F. 260.
White Muſtard.
By the Way ſide in the Brent Marſh—*very uncommon.*
Auguſt. A.

SINAPI ſativum ſecundum. R. S. 295.
SINAPIS *nigra*. H. F. 260.
Common Muſtard.
In Shepey *amongſt Corn, and by Way ſides* — *plentifully*. July. A.

SISYM-

SISYMBRIUM Cardamine ſeu Naſturtium aquaticum. R. S. 300.
SISYMBRIUM *Naſturtium.*
Water Creſs.
By the River ſides — very common. July. B. or P.

SISYMBRIUM hirſutum. R. S. 233.
MENTHA *aquatica.* H. F. 223. γ.
Water Mint.
On the ſides of the River — *very common.* July. P.

SIUM aromaticum. Siſon officinarum. R. S. 211.
SISON *Amomum.* H. F. 104.
Baſtard Stone Parſley.
In a Hedge near Thorn —— *not uncommon.* Auguſt. P.

SIUM arvenſe ſive ſegetum. R. S. 211.
SISON *ſegetum.* H. F. 104.
Corn Parſley, or Honewort.
In moiſt Hedges near Ewell —— *not uncommon.* July. B.

SIUM latifolium foliis variis. R. S. 211.
SIUM *latifolium.* H. F. 103.
Great Water Parſnep.
In marſhy Ground, and by the River ſide —— *common.* Auguſt. P.

SIUM

SIUM pusillum foliis variis. R. S. 212.
SISON *inundatum*. H. F. 104.
The least Water Parsnep.
In the Dykes of Nagden Marsh —— *not common.*
June. A.

SIUM umbellatum repens. R. S. 211.
SIUM *nodiflorum*. H. F. 103.
Creeping Water Parsnep.
In the Abby *Ditches* —— *common.* August. P.

SMYRNIUM. R. S. 208.
SMYRNIUM *Olusatrum*. H. F. 109.
Alexanders.
In a Hedge as you enter Graveney Marsh—*uncommon.*
June. B.

SOLANUM lignosum seu Dulcamara. R.S. 265.
SOLANUM *Dulcamara*. H. F. 78.
Woody Night-shade, or Bitter-sweet.
In moist Woods and Hedges — common. July. P.

* SOLANUM pomo spinoso oblongo flore calathoide, Stramonium vulgo dictum. R.S. 266.
DATURA *Stramonium*.. H. F. 78.
Thorn Apple.
On Dunghills — very uncommon. August. A.

SOLA-

SOLANUM vulgare. R. S. 265.
SOLANUM *nigrum*. H. F. 78.
Common Night-ſhade.
On Rubbiſh and Dunghills — very common. July. A.

SONCHUS aſper laciniatus. R. S. 163.
SONCHUS *oleraceus*. H. F. 294. γ.
Prickly Sow-thiſtle with jagged Leaves.
On Rubbiſh and in cultivated Grounds —— common.
Auguſt. A.

SONCHUS aſper non laciniatus. R. S. 163.
SONCHUS *oleraceus*. H. F. 294. δ.
Prickly Sow-thiſtle with leſs jagged Leaves.
In cultivated Grounds, and on Rubbiſh —— common.
June to Auguſt. A.

SONCHUS lævis. R. S. 162.
SONCHUS *oleraceus*. H. F. 294. α.
Common Sow-thiſtle.
On Rubbiſh, in Fields and cultivated Grounds — very common. June to September. A.

SONCHUS lævis minor paucioribus laciniis. R. S. 163.
SONCHUS *oleraceus*. H. F. 294. β.
Smooth Sow-thiſtle with leſs jagged Leaves.
On Rubbiſh, in Fields and cultivated Grounds ——
June to September. A.

SONCHUS repens, multis Hieracium majus. R. S. 163.
SONCHUS *arvenſis*. H. F. 295.
Tree Sow-thiſtle.
In Fields and Hedges — common. Auguſt. P.

SORBUS ſylveſtris foliis domeſticæ ſimilis. R. S. 452.
SORBUS *aucuparia*. H. F. 189.
Mountain Aſh, Quicken Tree, Roan Tree.
In the Blean Woods — *not uncommon.* May. S.

SPARGANIUM non ramoſum. R. S. 437.
SPARGANIUM *erectum*. H. F. 346. β.
Bur-reed not branched.
In the Ditches of Ham *and* Graveney Marſhes — *common.* July. P.

SPARGANIUM ramoſum. R. S. 437.
SPARGANIUM *erectum*. H. F. 346.
Great branched Bur-reed.
In Ponds near Ewell — *not uncommon.* July. P.

SPERGULA maritima flore parvo cæruleo, ſemine vario. R. S. 351.
ARENARIA *marina*. H. F. 169. γ.
Small flowered Sea-ſpurrey.
In Shepey Iſland — *not uncommon.* July. P.

SPER-

SPERGULA purpurea. R. S. 163.
ARENARIA *rubra.* H. F. 169.
Purple Spurrey, Purple flowered Chickweed.
On ſandy Grounds in Hernhill —— *not uncommon.*
July. A.

SPHONDYLIUM. R. S. 205.
HERACLEUM *Sphondylium.* H. F. 102.
Cow Parſnep.
On the ſides of Fields, and in Hedges —— common.
July. B.

STATICE montana minor. R. S. 203.
STATICE *Armeria.* H. F. 114.
Thrift, or Sea Gilly-Flower.
In all the Salt Marſhes—*very common.* July. P.

STELLARIA. R. S. 289.
CALLITRICHE *verna.* H. F. 2.
Vernal Star-wort, Water-wort, Star-headed Chickweed.
In the Powder Mill Streams—*common.* April. A.

STELLARIA aquatica foliis longis tenuiſſimis. R. S. 290.
CALLITRICHE *autumnalis.* H. F. 2.
Autumnal Star-wort.
In the River oppoſite the Gunpowder Stove —— *not uncommon.* September. A.

STRATIOTES foliis Aſari, ſemine rotundo. R. S. 290.
HYDROCHARIS *Morſus ranæ.* H. F. 372.
Frog-bit.
In the Dykes of Ham *and* Graveney Marſhes —— *common.* June. P.

SYMPHYTUM magnum. R. S. 230.
SYMPHYTUM *officinale.* H. F. 68.
Comfrey.
On the Banks of the Powder Mill Waters—*uncommon.* July. P.

T.

TAMNUS racemoſa, flore minore luteo pallescente. R. S. 262.
TAMUS *communis.* H. F. 369.
Black Briony.
Under Hedges, and among Buſhes—common. June. P.

TANACETUM. R. S. 188.
TANACETUM *vulgare.* H. F. 310.
Common Tanſy.
By Way ſides, near Queen Court *and* Uplees — *very uncommon.* Auguſt. P.

TAXUS. R. S. 445.
TAXUS *baccata.* H. F. 372.
The Yew Tree.
In Woods and Hedges on a chalky Soil —— common. April. S.

THA-

THALICTRUM ſeu Thalietrum majus. R. S. 203.
THALICTRUM *flavum.* H. F. 216.
Meadow Rue.
In the ſhooting Meadow Stream —— *uncommon.* June. P.

TITHYMALUS characias Amygdaloides. R. S. 312.
EUPHORBIA *Amygdaloides.* H. F. 184.
Wood Spurge.
In Woods, and under Hedges in Oſpringe —— *very common.* April. P.

TITHYMALUS helioſcopius. R. S. 313.
EUPHORBIA *Helioſcopia.* H. F. 183.
Sun Spunge, or Wart-wort.
In Meadows, and on Dunghills — common. July. A.

TITHYMALUS leptophyllos. R. S. 313.
EUPHORBIA *exigua.* H. F. 182.
Dwarf Spurge, Small annual Spurge.
In Corn fields and Gardens — common. July. A.

TITHYMALUS parvus annuus, foliis ſubrotundis non crenatis, Peplus dictus. R. S. 313.
EUPHORBIA *Peplus.* H. F. 182.
Petty Spurge.
In cultivated Grounds — common. July. A.

TITHYMALUS platyphyllos Fuchsii. R. S. 312.

EUPHORBIA *platyphyllos*. H. F. 184.

Broad leaved Spurge.

In Corn fields near Thorn Creek —— *common.* July. P.

TORMENTILLA. R. S. 257.

TORMENTILLA *erecta*. H. F. 197.

Tormentil Septfoil.

In Woods and Hedges — common. June. P.

TORMENTILLA reptans. R. S. 257.

TORMENTILLA *reptans*. H. F. 198.

Creeping Tormentil.

In Broom fields at Hernhill — *common.* July. P.

TRAGOPOGON luteum. R. S. 171.

TRAGOPOGON *pratense*. H. F. 293.

Yellow Goat's Beard, Go to Bed at Noon.

In Fields and Pastures — common. June. B.

TRAGOPOGON purpureum. R. S. 172.

TRAGOPOGON *porrifolium*. H. F. 293.

Purple Goat's Beard.

In a Marsh near Sheerness —— *uncommon.* June. B.

TRICHO-

TRICHOMANES. R. S. 119.
ASPLENIUM *Trichomanes.* H. F. 385.
Engliſh black Maiden-Hair.
On the Walls of the Church *and* Abby——*not common.* P.

TRIFOLIUM arvenſe humile ſpicatum ſeu Lagopus. R. S. 330.
TRIFOLIUM *arvenſe.* H. F. 285.
Hare's Foot, or Hare's Foot Trefoil.
Upon Beacon Hill — *not uncommon.* July. A.

TRIFOLIUM cochleatum folio cordato maculato. R. S. 333.
MEDICAGO *arabica.* H. F. 288.
Heart Trefoil, or Clover.
In the Abby Meadows—*not uncommon.* June. A.

TRIFOLIUM cochleatum modiolis ſpinoſis. R. S. 333.
MEDICAGO *arabica.* H. F. 288. γ.
Hedge-hog Trefoil, or Clover.
In Paſtures near Sheerneſs—*not common.* May. A.

TRIFOLIUM fragiferum. R. S. 329.
TRIFOLIUM *fragiferum.* H. F. 286.
Strawberry Trefoil.
In the Abby Meadows — *common.* Auguſt. P.

TRIFO-

TRIFOLIUM floſculis albis, in glomerulis oblongis aſperis, cauliculis proxime adnatis. R. S. 329.
TRIFOLIUM *ſcabrum*. H. F. 285.
Oval headed Trefoil.
In Paſtures in Shepey — *common*. June. A.

TRIFOLIUM lupulinum alterum minus. R. S. 330.
TRIFOLIUM *procumbens*. H. F. 287.
The leſſer Hop Trefoil, Decumbent Trefoil.
In Meadows — common. May to Auguſt. P.

TRIFOLIUM lupulinum minimum. R. S. 331.
TRIFOLIUM *filiforme*. H. F. 287.
Small Trefoil.
On gravelly Banks beyond South Street — *uncommon*. May. A.

TRIFOLIUM pratenſe album. R. S. 327.
TRIFOLIUM *repens*. H. F. 283.
Dutch Clover, White flowered Meadow Trefoil.
In Fields and Meadows — very common. May to September. P.

TRIFOLIUM pratenſe luteum capitulo Lupuli, vel agrarium. R. S. 330.
TRIFOLIUM *agrarium*. H. F. 286.
Hop Trefoil.
On Beacon Hill — *not uncommon*. June. A.

TRIFO

TRIFOLIUM pratenſe purpureum. R. S. 328.
TRIFOLIUM *pratenſe*. H. F. 284.
Common Purple or Honey-ſuckle Trefoil.
In Fields and Meadows — very common. May to September. P.

TRIFOLIUM purpureum majus, folis longioribus et anguſtioribus, floribus ſaturatioribus. R. S. 328.
TRIFOLIUM *medium*. H. F. 284.
Long leaved Purple Trefoil with deeper coloured Flowers.
In Byſing Wood, *and by Field ſides in* Oſpringe — *not uncommon*. July. P.

TRIFOLIUM ſtellatum glabrum. R. S. 329.
TRIFOLIUM *maritimum*. H. F. 284.
Teaſel-headed Trefoil.
On Shellneſs *in* Shepy — *uncommon*. June. P.

TURRITIS muralis minor. R. S. 294.
TURRITIS *hirſuta*. H. F. 254.
Hairy Tower Muſtard.
On old Walls at Colkins *in* Boughton — *very uncommon*. May. B.

TUSSILAGO. R. S. 173.
TUSSILAGO *Farfara*. H. F. 315.
Common Colt's Foot.
In moiſt Fields — very common. April. P.

TYPHA. RS. 436.
TYPHA *latifolia*. H. F. 345.
Great Cat's Tail, or Reed Mace.
On the ſides of Ponds, and in Dykes — very common.
July. P.

TYPHA paluſtris media. R. S. 436.
TYPHA *anguſtifolia*. H. F. 345.
Narrow leaved Cat's Tail.
In the Ditches at Ewell *and* Nagden—*not uncommon.*
July. P.

V.

VALERIANA ſylveſtris major. R. S. 200.
VALERIANA *officinalis*. H. F. 12.
Great wild Valerian.
On the Banks of Oſpringe River — *not uncommon.*
June. P.

VALERIANA ſylveſtris minor. R. S. 200.
VALERIANA *dioica*. H. F. 12.
Small wild or Marſh Valerian.
On the Banks of the ſhooting Meadow Stream —— *common.* June. P.

VALERIANELLA arvenſis præcox humilis ſemine compreſſo, ſive Lactuca agnina. R. S. 201.
VALERIANA *Locuſta*. H. F. 12.
Lamb's Lettuce, or Corn Sallad.
In Corn fields, and rich cultivated Ground — common.
May. A.

VALE-

VALERIANELLÆ vulgaris ſpecies major, ſerotina. R. S. 201.

VALERIANA *Locuſta*. H. F. 13. β.

Late flowering Lambs Lettuce, or Corn Sallad.

In the Corn fields between Ore *and* Harty-ferry—*not common.* July. A.

VERBASCUM flore albo parvo. R. S. 287.

VERBASCUM *Lychnitis*. H. F. 76.

Hoary Mullein, or white Mullein.

On old Walls at Davington—*not common.* July. B.

VERBASCUM mas latifolium luteum. R.S. 287.

VERBASCUM *Thapſus*. H. F. 75.

Great white Mullein, High Taper, Cows Lungwort.

On dry Banks by Road ſides — common. July. B.

VERBASCUM nigrum flore parvo, apicibus purpureis. R. S. 288.

VERBASCUM *nigrum*. H. F. 76.

Sage-leaved black Mullein.

On the ſides of Chalk fields in Oſpringe — *very uncommon. As you aſcend St.* Martin's-Hill *near* Canterbury — *plentifully.* July. P.

VERBENA vulgaris. R. S. 236.

VERBENA *officinalis*. H. F. 505.

Vervain.

By Road ſides and Foot paths—very common. July. P.

VERBE-

VERBESINA seu Cannabina aquatica flore minus pulchro elatior. R. S. 187.
BIDENS *tripartita*. H. F. 309.
Trifid Water-hemp Agrimony.
In marshy watery Places — common. July. A.

VERBESINA pulchriore flore luteo. R. S. 187.
BIDENS *cernua*. H. F. 309.
Whole leaved Water-hemp Agrimony.
In Dykes near the Town Key—*common.* Auguſt. A.

VERONICA aquatica anguſtifolia minor. R. S. 280.
VERONICA *ſcutellata*. H. F. 5.
Narrow leaved Water Speedwell, or Brooklime.
In wet Ditches and marſhy Ground—common. June. P.

VERONICA aquatica longifolia media. R.S. 280.
VERONICA *Anagallis*. H. F. 5.
The middle long leaved Water Speedwell, or Brooklime.
In the Abby *Ditches — common.* July. P.

VERONICA aquatica rotundifolia Becabunga dicta minor. R. S. 280.
VERONICA *Becabunga*. H. F. 4.
Common Brooklime.
In wet Ditches and ſmall running Waters —— very common. May. P.

VERONICA

VERONICA Chamædrys ſylveſtris dicta. R.S. 281.
VERONICA *Chamædrys*. H. F. 5.
Wild Germander.
In Fields and Meadows — very common. May. P.

VERONICA floribus ſingularibus, in oblongis pediculis, Chamædryfolia. R. S. 279.
VERONICA *agreſtis*. H. F. 6.
Germander Speedwell, or Chickweed.
In Fields, on Rubbiſh, and in cultivated Ground — common. May. A.

VERONICA floſculis ſingularibus Hederulæ folio, Morſus gallinæ minor dicta. R. S. 280.
VERONICA *hederifolia*. H. F. 6.
Ivy leaved Speedwell, or ſmall Henbit.
In dry Fields, and on old Walls — common. April. A.

VERONICA mas ſupina et vulgatiſſima. R. S. 281.
VERONICA *officinalis*. H. F. 4.
The Male Speedwell, or Fluellin.
In barren dry Fields — common. May. P.

VERONICA pretenſis minor; ſive Betonica Pauli. R. S. 279.
VERONICA *ſerpyllifolia*. H. F. 4.
Little, or ſmooth Speedwell, or Paul's Betony.
In Fields and Meadows — common. May. P.

VIBURNUM. R. S. 460.

VIBURNUM *Lantana*. H. F. 112.

The pliant Mealy, or Way-faring Tree.

In Hedges — common. May. S.

VICIA. R. S. 320.

VICIA *ſativa*. H. F. 278.

Common Vetch, or Tare.

In Fields among Corn — not uncommon. June. A.

VICIA ſepium perennis. R. S. 320.

VICIA *ſepium*. H. F. 278.

Buſh Vetch.

In buſhy Places and Hedges — common. May. P.

VICIA minima præcox Pariſienſium. R. S. 321.

ERVUM *ſolonienſe*. H. F. 279.

Spring Tare.

In Oſpringe *Chalk Pits — common.* April. P.

VICIA ſylveſtris ſive Cracca major. R. S. 321.

VICIA *lathyroides*. H. F. 279.

Strangle Tare, or Wild Vetch.

In ſandy Fields in Hernhill — *not uncommon.* May. A.

VINCA

VINCA Pervinca minor. R. S. 268.
VINCA *minor*. H. F. 77.
Periwinkle.
In Cades *Wood, and Hedges in* Preſton *and* Oſpringe — *common* April. P. With a white Flower, near the 39th Mile Stone — *very uncommon*.

VIOLA bicolor arvenſis. R. S. 366.
VIOLA *tricolor*. H. F. 331. β.
Panſies, Heart's-eaſe, Two Faces under a Hood.
In ſandy Corn fields at Hernhill —— *common*. Auguſt. A.

VIOLA martia inodora ſylveſtris. R. S. 364.
VIOLA *canina*. H. F. 331.
Wild or Dogs Violet.
In Woods and under Hedges—very common. April. P.

VIOLA martia hirſuta inodora. R. S. 365.
VIOLA *hirta*. H. F. 330.
Hairy Violet.
In the new Wood at Cades *in* Oſpringe — *plentifully*. March. P.

VIOLA martia alba. R. S. 364.
VIOLA *odorata*. H. F. 330. β.
White Violet.
Under dry Hedges and Banks, by Way ſides — not uncommon. March. P.

VIOLA martia purpurea. R. S. 364.
VIOLA *odorata*. H. F. 330.
Purple ſweet Violet.
Under Hedges, and in Fields —— very common.
March. P.

VIOLA tricolor. R. S. 361.
VIOLA *tricolor*. H. F. 331.
Panſies, Three Faces under a Hood.
In Corn fields at Ore, *and in Gardens —— common.*
June. A.

VIRGA aurea. R. S. 176.
SOLIDAGO *Virga aurea*. H. F. 318.
Common Golden Rod.
In Woods and Hedges — common. Auguſt. P.

VISCUM. R. S. 464.
VISCUM *album*. H. F. 367.
Miſſel, or Miſſeltoe.
On Trees, eſpecially in Orchards —— common.
May. S.

VULNERARIA ruſtica. R. S. 325.
ANTHYLLIS *Vulneraria*. H. F. 273.
Kidney Vetch, or Ladies Finger.
About Byſing Wood —— *common.* July. P.

U.

ULMARIA. R. S. 259.
SPIRÆA *Ulmaria.* H. F. 191.
Meadow ſweet.
In moiſt Meadows in Davington—*common.* July. P.

ULMUS folio glabro.
ULMUS *glabra.* H. F. 95. β.
The ſmooth leaved or Wych Elm.
In Hedges— not uncommon. April. S.

ULMUS folio latiſſimo ſcabro. R. S. 469.
ULMUS *glabra.* H. F. 95.
The Wych Hazel, or broad-leaved Elm.
In Hedges at Throwleigh—*uncommon.* April. S.

ULMUS vulgatiſſima, folio lato ſcabro. R. S. 468.
ULMUS *campeſtris.* H. F. 94.
The common Elm.
In Hedges —— very common. April. S.

URTICA minor. R. S. 140.
URTICA *urens.* H. F. 355.
The leſſer Stinging Nettle.
In cultivated and uncultivated Ground — very common. Auguſt. A.

URTICA racemifera major perennis. R. S. 139.
URTICA *dioica*. H. F. 355.
The common Stinging Nettle.
Under Hedges, and on Rubbiſh —— *very common* July. P.

PLANTS OMITTED.

* CALENDULA *officinalis*. Lin. Syſt. Nat. II. P. 577.
Garden Marigold.
On the Beach at St. Margaret's *at* Cliff; *plentifully. And in a Field at* Woodneſborow —— *very uncommon*. June. A.

CRAMBE maritima braſſicæ folio. R. S. 307.
CRAMBE *maritima*. H. F. 260.
Sea Colewort.
At St. Margaret's *at* Cliff — *uncommon*. June. P.

HYDROCERATOPHYLLON folio aſpero quatuor cornibus armato R. S. 135.
CERATOPHYLLUM *demerſum*. H. F. 357.
Horned Pond-weed.
In Marſh Dykes —— *Common*. June. P.

* MYAGRUM. R. S. 302.
MYAGRUM *ſativum*. H. F. 242.
Gold of Pleaſure.
Near Sandwich, *among the Flax* —— *plentifully*. June. A.

TRI-

TRIFOLLIUM luteum lupulinum. R. S. 331.
MEDICAGO *lupulina*. H. F. 288.
Melilot Trefoil.
In Paths near Weſtwood — *not common*. May to Auguſt. A.

CAUCULIS nodoſa echinato ſemine. R. S. 220.
TORDILIUM *nodoſum*. H. F. 98.
Knotted Parſley.
By the Road ſide at Minſter *in* Shepey—*not common* May. A.

LINARIA antirrhinum dicta. R. S. 283.
ANTIRRHINUM *minus*. H. F. 238.
The leaſt Toad Flax.
In a Corn field near Whitehill, Selling —— *uncommon*. A.

SENECIO minor latiore folio, ſive montana. R. S. 178.
SENECIO *ſylvaticus*. H. F. 316.
Mountain Groundſel.
In Badgen Wood—*not common*. Auguſt. A.

OENANTHE aquatica triflora. R. S. 220.
OENANTHE *fiſtuloſa*. H. F. 104. β.
The leſſer Water Dropwort.
In Ditches at Graveney — *common*. July. P.

A

SHORT VIEW

OF THE

FOSSIL BODIES

Native and Extraneous,

OF THE

ISLAND

OF

SHEPEY,

IN THE

COUNTY OF KENT.

Quicquid ſub terra eſt in apricum proferet ætas.

INTRODUCTION.

THE Iſland of Shepey, *with the annexed Peninſulas of* Harty *and* Elmly, *ſurrounded by the Waters of the* Thames, *the* Medway, *and the* Sea, *is upwards of Thirty Miles in Circumference, about Thirteeen in Length from* Shellneſs *to* Sheerneſs, *and in its greateſt Breadth about Six. It hath long been noted for producing large Quantities of Sheep (from whence probably it derived its Name) as well as Corn; and exhibits to the inquiſitive Naturaliſt a moſt deſirable Spot, by affording on its Surface many rare* Plants, *and more eſpecially in the Bowels of its Northern* Cliffs, *ſo great a Quantity and Variety of* Foſſils, *both native and extraneous, as are ſcarcely to be paralled.*

Theſe Cliffs are in Length about Six Miles from Eaſt to Weſt, gradually declining at each End; the more elevated Parts whereof reach about two-thirds of their extenſion, and are, at the very higheſt of them about Minſter, *not leſs than Thirty Yards in perpendicular Height above the Beach or Shore, and being compoſed of Clay, and conſtantly waſhed at their Baſis by the Tides*

Tides which beat againſt them more eſpecially when driven by ſtrong Eaſterly Winds, they are continually waſting more or leſs, and falling down upon the Shore, where the Clay being by degrees waſhed away, the Foſſils are left in great Abundance. So great is the Loſs of the Land at the higheſt Parts, that ſometimes near an Acre of it hath ſunk down at once, though theſe Falls are indeed extraordinary.

Minſter, Shurland, *and* Warden, *are the three Manors to which theſe Cliffs appertain, the Proprietors whereof hire them out to different Owners of Coperas Works, who employ the neighbouring Poor to collect the* Pyrites *or* Copperas Stone *upon the Beach, at the Rate of about a Shilling per Buſhel, which they depoſit in Heaps, when collected, until a Quantity ſufficient to load a Hoy is procured, when it is meaſured and paid for.*

Theſe Coperas Gatherers, from the Author's firſt Viſits were induced to preſerve and carry home every Thing that ſeemed to their Apprehenſion ſomewhat particular, and having ſince met with Encouragement, and acquired ſome Information relative to what was moſt deſirable by the Curious, they have generally from that Time reſerved ſuch, until Inquiries have been made for them. Many rare Specimens, both native and extraneous, far beyond any equal Space of Ground,

perhaps

perhaps the Universe can produce, are by these means preserved. Indeed, more may thus be obtained, at a very easy Expence, than by the most diligent Fossilists alone, as they cannot allow due Time to examine the Shore sufficiently. This is evidently confirmed by comparing the Specimens from this Coast, recited in the Works of our most celebrated * *Naturalists, with those in the ensuing Catalogue. The Author doubts not that many curious Specimens have escaped his Inquiries, and as the Cliffs are daily dropping their Contents more or less, he is fully assured that there will always remain a Variety sufficient to gratify every Lover of the Study, whenever they may choose to take a Trip thither. But alas! One disagreeable Circumstance attending a considerable Part of the Fossils here collected, is, that they are so much impregnated with Pyritical Matter, that after being for some Time placed in a Cabinet, the Salts thereof shoot and entirely destroy them. Happy would it be, could some certain Remedy be discovered whereby this Accident might be prevented. The Loss of many valuable Specimens by this Cause, together with his Distance from any inquisitive and able Naturalists, at last induced the Author to dispose of his whole Collection to* INGHAM FOSTER, *Esq;*

* Dr. Grew, Mr. Llhuyd, Mr. Petiver, Dr. Woodward, Mr. Dale, and Dr. Hill.

Merckant

Merchant of London, *where it now forms no inconsiderable Part of that Gentleman's very valuable Cabinet.*

He, many Years since, entertained Thoughts of publishing a descriptive Catalogue of all the Fossils there, by him collected, but was prevented, as well by more necessary Attachments as the Difficulty of the Undertaking: However, it having been intimated to him that a concise Account of them would not be deemed an unacceptable Appendix to his PLANTÆ FAVERSHAMIENSES, *in which several of the* Shepey *Plants are recited, as no special Account of these Fossils hath been offered to the Public, and as those that have been already noted by the before cited Authors are dispersed in their Works, and as many others have not as yet been published, he complied with the Proposal, and set about revising his Notes and Observations, and now offers this short Account of the Discoveries made there in his annual Visits for above these Thirty Years past; at first solely for the Purpose of collecting these elegant Bodies, and afterwards to superintend his private Affairs, having acquired some Property in the Island, not far distant from the Cliffs.*

What the candid Reader may expect in the following Catalogue is, a general Account of the Variety of the Fossil Bodies, *both native and extraneous, reduced into*

ſome Order under particular Heads, with Notice of their degrees of Rarity. If what is offered ſhall afford any Information worthy the attention of the Lovers of Natural Hiſtory, the Author will think himſelf ſufficiently rewarded for this Attempt of exhibiting the Out-lines of a Work which merits the Abilities of a Perſon of more Judgment and greater Leiſure, to enlarge and perfect, than he pretends to be poſſeſſed of. He cannot conclude however, without obſerving, that from the contemplation of ſo great a Variety of extraneous Foſſils diſcovered in theſe Cliffs, which were evidently the produce of very different Climates, he thinks himſelf rationally induced to believe, that nothing ſhort of an univerſal Deluge could be a Cauſe adequate to ſuch an Effect.

E. J.

FOSSILIA SHEPEIANA.

NATIVE FOSSILS.

THE CLIFFS.

THESE are compoſed of three different Strata of brown Clay; the uppermoſt is of the lighteſt Colour, and moſt friable; the lowest darkeſt, and of a cloſer Texture.

PYRITÆ.

Coperas Stones, are the moſt frequent of all the Foſſils of the Cliffs: They are of various Forms and Sizes; round, botryoide, flat, varying in every Degree, as well in Figure as Colour, and impregnating moſt of the other Foſſils found here.

LUDUS HELMONTII.

The Waxen Vein; Nodules of which are lodged in the Cliffs in great Numbers; they are generally flat and oval, and of various Sizes, ſometimes exceeding two Feet in length, all are covered with Coats

in the Cliffs, but are frequently ſeen denudated on the Beach; the *Tali* are of different Sizes and Forms, generally they paſs ſtrait from one flat Surface of the Nodule to the other; in ſome there is a double Set of them, running only half through the Body, with intermediate ſparry Partitions; which being generally of a waxen Colour, at firſt gave this Nodule its Name. The Number of the *Tali* in different Nodules are indeterminate; both the *Tali* and *Septa* vary in Colour in different Specimens — they are very common.

BEZOAR MINERALE.

Bodies, which are cruſtated, ferrugineous, and of a rounded Form, covered with various Cruſts of the Colour of the Clay of the Cliffs, and of different Sizes — Theſe are common.

CALCULI.

Pebbles. Amongſt the numbers on the Beach, there have been ſome Specimens collected, which by poliſhing have proved very elegant.

SELENITES.

Selenite, is found here in great Plenty, chiefly of the columnar ſort, ſome Specimens exceed ſix Inches in length, but moſt are of ſhorter dimenſions,

ſions, which are common. The rhomboidal Sort is not near ſo common.

LEPASTRUM. D. HILL.

The Starry Waxen Vein, is a Foſſil peculiar to theſe Cliffs, not having as yet been diſcovered elſewhere to the Author's Knowledge. Dr. *Hill* hath made from their Forms three Sorts of it, to which others might be added if nicely attended to. It is ever affixed to the Septa of the Ludus Helmontii, where the Fiſſures are ſo far divided as to permit the Stars to ſhoot. The largeſt Specimens do not exceed three Inches in Length, and theſe are very rare; thoſe are generally of a much leſs Size that are common.

SUCCINUM.

Amber, is very uncommon; a few Specimens only, and thoſe ſmall and tranſparent, are to be found here.

EXTRANEOUS FOSSILS.

VEGETABLES.

LIGNUM FOSSILE.

Foſſil Wood, in large Maſſes, ſeemingly of Oak from its Grain, even to above three Feet in Length,

is plentifully diſperſed on the Beach, and generally impregnated with pyritical Matter.

EQUISETUM.

Horſe-tail, Joints of the naked Species, are ſometimes found even to the Length of three Inches, but they are uncommon.

FRUCTUS VARII.

Foſſil Fruits, of very different Kinds, are here collected, in Variety and Number exceeding all that have been mentioned by Writers on this Branch of Natural Hiſtory: Many of them have been drawn and compared with recent ones, in a particular Account given of them by the Author's late learned Friend, Dr. *James Parſons*, in the Philoſophical Tranſactions — Vol. L. Part I. p. 396. Theſe have by ſome been imagined mere Sports of Nature amongſt the Coperas; but as all the Specimens have not the misfortune to be impregnated by it, ſome few, and thoſe very elegant ones, being entirely free from it, and petrified, that Conceit without further Diſcuſſion, muſt fall to the Ground.

ARISTÆ.

Ears of Corn, ſome ſmall Species, are ſometimes to be met with, imperfect and impregnated with the Pyrites, but they are not common.

MYCE-

MYCETITÆ.

The Muſhroom Stone. Here are two Kinds, the Conoide and Diſcoide, both ſmall, and the firſt is by far the moſt frequently to be found.

ANIMALIUM PARTES.

ELEPHAS.

The Elephant. A conſiderable Number of the Bones of this very large Animal have been diſcovered on the Eaſtern Shore, a Mile from the Cliffs, on the Author's Manor of *Nutts*, in *Laysdown*; an Account of which may be ſeen in the Philoſophical Tranſactions — Vol. xlviii. part ii. page 626.

TESTUDO.

The Tortoiſe. Two varieties have been found under the Cliffs, one of a more convexed Form, the other more depreſſed; both are extreamly rare.

PISCIUM PARTES.

The Heads of Fiſh, from a very ſmall Size to that of a middling Cod, are not unfrequent.

Palates of Fiſh ſome oval, others of a ſquariſh form, when perfect, or nearly ſo, are very uncommon;

common; but ſmall Portions of them, eſpecially of the ſquare Sort are common: To theſe laſt, Mr. *Llhuyd* hath given the whimſical Name of *Scopula littoralis*, and to thoſe of the firſt kind, *Bufonitæ*. In the Gentleman's Magazine for May, 1755, p. 409, is a Plate exhibiting both Kinds, in fine Preſervation.

Teeth of Fiſh, uſually called *Sharks Teeth*, are plentifully met with, except thoſe of a large Size, which are very uncommon.

Back Bones of Fiſh, are very common in ſeparate Joints, but with three or more united, are uncommon.

Parts of the Bodies of Fiſh, with the Scales on them, are not very uncommon, but none entire have come to the Author's Knowledge.

Tails of Fiſh, are frequently collected, and ſome few with a Vertebra united to them; there are very few of a large Size.

CANCRI MACROURI.

Lobſters, are not uncommon, but none of the Specimens are perfect; the Bodies and Tails united are not ſo frequent as when ſeparated; the Claws are alſo found ſeparately of various Sizes, but generally much injured.

Prawns

Prawns, are very rare; they are nearly perfect, and conſiderably larger than thoſe taken recent on the oppoſite Coaſt of the Iſle of *Thanet*.

CANCRI BRACHYURI.

Foſſil Crabs. Before the Publication of Dr. *Hill*'s Hiſtory of *Foſſils*, theſe were extreamly rare in *England*; but ſince that Time, thouſands of Specimens here collected, have paſſed through the Author's Hands. There are two or three Varieties, but all common except very fair Specimens, which are ſtill very rare; their Size varies from that of a ſmall Bean, to that of the common *Crab* of the Coaſt; ſome of them, eſpecially the ſmaller ones, are impregnated by the *Pyrites*.

ECHINITÆ.

Echinites, here are the *Ovarius*, *Galeatus*, *Pileatus*, *Cordatus*, and *Placentiformis*; but all of them are very rare, eſpecially the laſt.

The Spines, are of the foliated Kind, and that Sort named by Mr. *Llhuyd*, *Volvola*—both are rare.

ASTERIAS.

The Star Fiſh of five Rays, has not yet been found entire, and its ſingle Rays are uncommon.

ASTROITÆ

ASTROITÆ ET ASTEROPODIUM.

Star Stones, with depreſſed Rays, and the Roots of them are very uncommon; the Specimens of the latter Kind were ſo imperfect, that without better Information the Author was at a Loſs how to place them in his Collection.

BELEMNITES.

Belemnite, only one Specimen, and that imperfect, hath hitherto been diſcovered.

CONCHYLIA.

TUBULI MARINI.

Worm Shells, of various contorted Forms, generally of a ſmall Size, ſome with their Shells, others denudated, frequently impregnated with the Coperas, are common.

LAPIS SYRINGOIDES.

The piped Waxen Vein, externally appears like the *Ludus Helmontii*, being found in incruſted Nudoles; they are evidently Oak that had firſt been eroded by Sea Worms, and afterwards their Perforations filled with Pyritical Matter and *Spar*, ſimilar

ſimilar to the *Waxen Vein*, ſurrounding each Perforation; theſe are very common.

CONCHYLIA UNIVALVIA.

DENTALIA.

The Tooth Shells, generally ſmall, about an Inch long, curving towards the Apex in the more perfect Specimens, ſome covered with their Shells, and others denudated; both Sorts are common.

PATELLA.

The Limpet, is a very rare Foſſil, having only once been collected; the Specimen was ſmall, of the ſtriated Sort, and ſomewhat imperfect.

NAUTILUS.

The chambered Nautilus, is a common Foſſil of theſe Cliffs. Theſe vary in Size from that of Hazel-Nut to that of a Man's Head, moſt commonly they have their pearly Shell, and are often immerſed in Nodules; there are alſo ſome ſmall ones found of a ferrugineous Colour; very few of the large ones are perfect, having received Injury by compreſſion.

ORTHO-

ORTHOCERATITES.

Small Fragments ſeemingly of this *Genus* are found here, but very uncommon; the Chambers or Partitions appear to be united by a Dove tail Suture.

TUBULI CONCAMERATI.

Cylindrical Bodies, with ſeveral Concamerations paſſing tranſverſly through them, are generally of the Size of a Swan's Quill, and about two or three Inches in Length, ſome petrified, others wholly pyritical, and are not uncommon.

COCHLEÆ.

Snail Shells, with a ſhort as well as with a produced Clavicle, ſome with their Shells, others denudated, are generally of a ſmall Size, and impregnated by the *Pyrites*, and are uncommon.

TROCHI.

The Topſhells, are of different Forms, ſome flatter, others more elevated, of various Sizes, ſome with Shells on, others denudated, moſt are impregnated with *Pyrites*, and are common.

CONCHA

CONCHA VENERIS.

The Cowry. This is ſmall, denudated, pyritical, and extremely rare.

BUCCINA.

Whilkes, are found in conſiderable Quantities, varying in Form and Size, but generally ſmall.

The Opercula are ſometimes, though rarely ſeen.

NERITÆ.

The Nerites, are common; and generally impregnated with Pyrites.

TURBINES.

The Screw Shells, and caſts of them without the Shell, of various Sizes, and moſtly impregnated with Pyrites, are very common.

CONCHYLIA BIVALVIA.

OSTREA.

Foſſil Oyſters; generally of a ſmall Size, are found here, but very uncommon; although the whole Coaſt is covered with recent ones.

CONCHÆ ANOMIÆ.

Theſe Shells in great variety, tho' generally of a ſmall Size, and impregnated with the Pyrites, are very common.

PECTUNCULI.

Cockles, ſmooth, ſtriated, and faſciated, of a ſmall Size, are found in tolerable Plenty; but fair and large Specimens are uncommon.

TELLINÆ.

The Wedge Shell. Small Specimens of which, generally denudated and pyritical, are very common.

MUSCULI.

Muſcles. Theſe are extreamly rare, a few large Specimens, and one only of the common Muſcle have been hitherto met with; although the Coaſt abounds with the latter.

PINNÆ.

The Sea Wing. Only ſmall Fragments of this Shell have as yet been diſcovered, and theſe are very rare.

FINIS.

INDEX

OF THE

ENGLISH NAMES.

A.

	Page
Abele Tree	87
Adder's Tongue	73
Agrimony	2
Dutch, or common Hemp	36
Alder, common	3
black Berry-bearing	39
Alexanders	108
Alkanet, evergreen	15
baſtard	16
Ale-hoof	17
All-good	14
All-heal, Clowns	106
narrow leaved	106
All-feed, upright Blite	25
leaſt Rupture-wort	92
Anemony Wood	6
Angelica, wild	6
Apple-Thorn	108
Archangel, red	53
yellow	54
white	52

	Page
Arſmart, common	82
dead or ſpotted	81
greater, with pale leaves	82
with ſpotted ſtalks	81
willow-leaved, perennial	82
Aſh Tree	39
mountain	110
Aſh-weed	6
Aſp, or Aſpen	87
Avens, common	21
water	22

B.

Balm, garden	67
Baſil, wild	2
great wild	28
Baſe Rocket	95
Batchelor's-buttons	91
Bear's-foot	45
Bedſtraw, Ladies-yellow	40
Beech Tree	37
Beet, ſea	12
Bell-flower, leſſer round leaved	18
Berberry Buſh	12
Betony, water	103
wood	12
Bindweed, black	37
great	28
ſmall	28
ſea	28
Birch Tree	13
Bird's Foot	77
trefoil	62
the greater	61

Page
Bird's Neſt, or Wild Carrot 32
Bitter-ſweet 108
Blackberry 98
Blite, late flowering, or Fig-leaved 13
the leaſt 14
maple leaved 26
upright 26
round-leaved, or All-ſeed 25
ſea 14
Blood-wort 55
Borage 15
Bottle, blue 31
white 64
Box Tree 17
Brakes, common 38
Bramble, or Briar, common 98
ſmall 98
Briar, ſweet 97
Briony, black 112
white 15
Broom, common 40
rape 78
Brooklime, common 120
middle, long leaved 120
narrow leaved 120
Buckbean 67
Buckthorn 96
ſea 96
Buck's-horn plantain 84
Buck-wheat, or Brank 37
Bugle 16
Bugloſs, ſmall wild 15
vipers 33
Engliſh vipers 33

	Page
Bullaee Tree, black	90
white	90
Burdock	56
with ſmaller heads	56
taller, with a larger flower	56
with wooly heads	57
Burnet	101
Burnet-ſaxifrage, great	83
leſſer round leaved	84
ſmall	84
Bur-reed, great branched	110
not branched	110
Buſh Vetch	122
Butcher's Broom	99
Butter-bur, common	82
Butter-cups	93

C.

Cabbage, ſea	15
Calamint, common	18
Calf's-ſnout	7
Caltrops water, greater	88
leſſer	88
Cammock	7
Camomile, ſweet-ſcented creeping	25
Campion-bladder	64
corn, white	64
greater corn	64
red flowered	64
wild white	64
Dover	62
ſea	62
narrow leaved	63

	Page
Canterbury Bells	18
Carrot, wild	32
Cat-mint	
Cat's-tail, great	118
leſſer	118
Celandine, greater	79
leſſer	25
Centory, leſſer	24
leſſer, with a white Flower	24
yellow	23
Charlock, white	96
or white Muſtard	95
yellow	95
Cheeſe-rening	40
Chier, wild	59
Cherry wild, common	24
Cherry-wood	73
Chervil, ſmall Hemlock	71
wild	24
Cheſnut Tree	23
Chick-weed, breakſtone	5
leaſt	4
marſh, great	4
mouſe-ear, broader leaved	3
narrow leaved	3
leaſt	24
ſea	4
purple flowered	111
ſtar-headed	111
Chickweed or Speedwell	121
Cicely, wild	27
Cinque-foil, common	81
Tormentil	80

	Page
Ciſtus, dwarf, or little Sun-flower	44
Clary, common Engliſh wild	47
Climber, great wild	27
Cleavers	7
Clot-bur	56
with ſmaller heads	56
taller, with a purple flower	56
with wooly heads	57
Clover, Dutch	116
Clown's All-heal	106
Cockle	63
Cock's comb, great marſh, red rattled	80
red rattle	80
yellow	80
Cock's-head	73
Codlings and Cream	65
Colewort, ſea	126
Colt's-foot, common	117
Columbines	8
Comfrey	112
Corn, bottles	31
Feverfew	25
Marygold	26
Mint	68
Parſley, ſmall	23
Sallad	118
late flowering	119
ſmall	52
Cornel, female	29
Cotton Thiſtle	21
Cow's Lung-wort	119
Cow Parſnep	111
Cowſlip, great	89
common	89

Page

Cow weed 27
Cow-wheat, common, wild 67
Crab Tree 66
Crane's-bill, dove's-foot 41
field 41
hemlock leaved 41
jagged leaved 42
long ſtalked 42
ſmall flowered 42
ſea 42
Creſſes, water 107
winter, or Rocket 35
Crimſon Graſs Vetch 23
Croſs-wort 30
Crowfoot, common creeping 94
corn 93
fineſt leaved 92
ivy leaved 93
round, rooted, or bulbous 93
ſweet-wood 94
water fennel leaved 92
fine leaved 93
round leaved 94
various leaved 93
upright meadow 94
Crow-garlick 3
Cuckow flower 63
pint 8
Cudweed, black headed 43
common 43
leaſt 43
long leaved, low branched 43
upright 43

Cur-

Page

Currants, black 96
red 97

D.

Daffodil, wild Engliſh 71
Daiſie, common 12
greater 58
Dandelion 32
rough, or Dandelion Hawkweed 32
Deptford Pink 22
Devil's-bit 102
yellow 47
guts 31
Dewberry 98
Dittander 58
Dock, common broad leaved 56
great water 55
greener leaved 56
red leaved 55
fiddle 55
ſharp pointed 54
leſſer 55
with curled leaves 55
Dodder 31
Dogberry 29
Dog's Mercury 69
Roſe, red flowered 144
white flowered 143
Violet 123
Dove's-foot, common 41
jagged leaved 42
ſmall flowered 42
Dropwort 37

Page

Dropwort Hemlock 73
water 73
Duck's-meat 58
greater 58
ivy leaved 58
Dwale 12
Dwarf Elder 101
Dyer's Weed 41

E.

Earth-nut 16
Eglantine 97
Elder, common 100
Dwarf 101
water 73
Elecampane 44
Elm, broad leaved 125
common 125
ſmooth-leaved, or Wych 125
Enchanter's Nightſhade 27
Eryngo, Sea Holly 35
Eyebright 36
red 36

F.

Fennel, common 38
Hog, or Sulphur-wort 38
Fern, common male 38
female, or common brakes 38
ſmall branched ſtone 38
Feverfew 67
corn 25
field 25

	Page
Figwort, common knobby rooted	103
water	103
Finkle	38
Five leaved graſs	81
Flax, purging or wild dwarf	61
narrow leaved wild	60
perennial blue	61
Fleabane, middle	29
ſmall	29
blue flowered	9
Flix-weed	36
Flower-de-luce, yellow water	51
Fluellin, round leaved	60
ſharp pointed	60
Fool's Parſley	27
ſtones, female	75
male	75
Foxglove, purple	32
French Mercury, male and female	69
Frog-bit	112
lettuce	88
Fumitory	39
great white	39
Furze	41
needle	40

G.

Gentian, dwarf autumnal	41
Germander-ſpeedwell, or Chickweed	121
wild	121
Gilli-flower, ſea	111
Gladdon, ſtinking	51

	Page
Glaſs-wort, white	14
jointed	51
prickly	51
Goat's-beard, purple	114
yellow	114
Gooſeberry	44
Gold of Pleaſure	126
Goldilocks	94
Golden rod, common	124
Gooſe-foot, common	14
ſharp leaved	14
Gooſe-graſs	7
marſh	7
Gooſe Tongue	91
Gorſe	41
Goule	40
Graſs-vetch, crimſon	23
Green-wood	41
Go to bed at noon	114
Gout-weed	6
Gromwell, or Gromile	61
Ground Ivy	17
upright	106
Groundſel, common	105
mountain	127

H.

Hare bells	48
Hare's ear, the leaſt	16
Hare's foot	115
Hart's tongue	83
Hawk nut, or Hog-nut	16

	Page
Hawkweed, with bitten roots	47
bushy	46
narrow leaved bushy	46
long rooted	46
smooth succory	47
rough succory	47
Hawthorn	69
Hazel-nut Tree	29
Hazel-wych	125
Heart's-ease	123
Three faces under a hood	124
Heath common, or Ling	35
cross leaved	34
fine leaved	34
Pea, or wood pea	78
Hedge mustard	35
nettle	40
parsley	23
Hellebore, great bastard black	45
wild black	44
broad leaved bastard	45
white flowered bastard	45
Hell-weed	31
Hemlock	26
Hemlock Chervil, small with rough leaves	71
dropwort	73
lesser, or Fool's parley	27
water	83
Hemp-agrimony, common or Dutch	36
Water trifid	120
whole leaved	120
Henbane, common	48
Henbit, great	53
small	121

Page

Hep-tree 97
Herb, Bennet, or common Avens 21
Gerard 6
Paris 45
Robert 42
Two-pence 72
High-taper 119
Hog-fennel 83
Hog-nut 16
Holly-tree 2
Hone-wort 107
Honeyſuckle, common 18
trefoil 117
Hop, male and female 62
trefoil 116
Horehound, ſtinking 11
water 64
white 66
Horn-beam Tree, or Horſe-beech 78
Horſe-radiſh 96
Horſe-tail, corn 33
leſſer, marſh 34
river 34
wood 34
Horſe-ſhoe Vetch 37
Hound's-tongue, great 31
leſſer green leaved 31
Houſe-leek 104
Hyacinth, Engliſh 48

I.

Jack-by-the-hedge 46
Iron-wort 106

Page

Ivy, climbing or berried 44
Juniper, common 51

K.

Kidney-vetch 124
wort 29
Knapweed, common 50
great 50
Knawel, annual 52
Knee-holly 99
Knot-grass, common 86
German 52
oblong narrow leaved 86
small narrow leaved 86

L.

Ladies Bedstraw, mountain 70
white 70
yellow 40
Smock 18
small flowered 19
Finger 124
Thistle 20
unspotted 20
Traces, triple 77
Lamb's lettuce 118
late flowering 119
Lang-de-beuf 46
Larkspur, wild 32
Lavender, sea 60
Laurel, dwarf 57

Page

Lettuce, Ivy leaved wild 52
leaſt wild 52
Lilly-convally 59
water white 72
yellow 72
Ling 35
Live-long 5
Lords and Ladies 8
Looſe-ſtrife, greater ſmooth-leaved 64
leaſt ſmooth-leaved codded 65
leſſer hairy codded with ſmall flowers 65
middle ſmooth-leaved 65
purple ſpiked 99
yellow 65
Louſewort, common 80
marſh, red rattle, Cock's-comb 80
Liquorice, wild or Vetch 9

M.

Madder, little field 98
great baſtard 70
ſmall mountain 70
wild, or great baſtard 70
Madwort, German 19
Maiden-hair, white 99
common black 2
Engliſh 115
Mallow, common 60
ſmall wild, or dwarf 66
marſh 5
Maple, common 1
greater, or Sycamore 1

	Page
Mare's-tail	59
Marigold, corn	26
marſh	86
garden	126
Marjoram, pot	77
wild	77
Matfellon, common	50
great	50
May Lilly	59
weed, ſtinking	24
Meadow Pink	63
Rue	113
Sweet	125
Medick-Vetchling	73
Melilot	67
trefoil	127
Mercury, common Engliſh	14
dog's	69
French, male and female	69
Milfoil	69
water, feathered or ſpiked	87
verticillated	81
Milk-wort	85
ſea	43
Mill-mountain	61
Mint, Nep or Nap	72
long leaved horſe	68
round leaved horſe	68
ſpear	68
water	68
with whorled coronets	68
Miſſel or Miſſeltoe	124
Money-wort	72
purple flowered	72

Page
Moſcatel, tuberous 70
Mother-wort 19
Mother of thyme, common 105
Mountain Aſh 110
Mouſe-ear ſcorpion graſs 70
common creeping 83
water ſcorpion graſs 71
Mug-weed 30
Mug-wort 8
Mullein, great white 119
hoary or white 119
ſage leaved black 119
Muſk Thiſtle 20
Muſtard, common 106
hedge 35
tower, leſſer 117
white 106
Myrtle, Dutch 40

N.

Navel-wort 29
Navew, wild 71
Needle Furze 40
Nep or Nap, or Cat-Mint 72
Nettle, dead 52
hedge 40
hemp-leaved, with a parti-coloured flower 53
white flowered 53
red 53
yellow 54
ſtinging, common 126
leſſer 125

Page

Nettle-hemp, white flowered 53
fair flowered 53
yellow 54
Nightſhade, common 109
deadly 12
Enchanter's 27
woody 108
Nipple-wort 54
Noſe-bleed 69
Nut-earth, Kipper, Pig, Hawk or Hog 16

O.

Oak Tree, common 91
with acorns on ſhort-foot ſtalks 91
Oculus Chriſti, or Chriſt's eye 47
One Berry 45
Orach, common wild 13
graſs leaved 10
narrow leaved wild 10, 11
with a ſpear pointed leaf 10
jagged ſea 10
wild ſea narrow leaved 10
wild ſea 11
ſtinking 13
Orchis, female 75
female handed 76
male, or male fool's ſtones 75
male handed 76
butterfly 74
bee 74
bee hairy, or humble bee 77
fly 75
frog 76

Page

Orchis, man green 74
purple 75
Neapolitan 74
little purple flowered 76
purple late flowering 76
yellow or muſk 75
bird's neſt 74
ladies traces 77
Orpine 5
Oſier 100
Ox-eye 58
lips 89
tongue 46

P.

Pagils, common 89
Panſies, two faces under a hood 123
three faces under a hood 124
Park-leaves 49
hairy 48
Parſley, garden 82
corn or Honewort 107
corn ſmall 23
hedge 23
knotted 127
ſtone baſtard 107
Parſnep, Cow 111
great water 107
leaſt water 108
water creeping 108
wild 79
Paul's Betony 12

	Page
Pea, everlaſting broad leaved	57
narrow leaved	57
wood or heath	78
Pear, wild	91
Pellitory of the wall	79
baſtard	91
Penny-royal	91
Penny-wort, marſh	48
wall	29
Pepper-wort	58
Pepper, water	82
Periwinkle, the greater	27
the leſſer	123
Peſtilent Wort	82
Petty Whin	40
Pig nut or Hog-nut	16
Pilewort	25
Pimpernel, male	5
yellow	5
round leaved water	101
Pin Pearl-wort	5
Pink, Deptford	22
meadow	63
Pipperidge Buſh	12
Plantain, Buck's-horn	84
great	84
hoary	85
ribwort	85
ſea	85
narrow leaved ſea	85
water great	84
ſtar-headed	31
Polypody	86

Page

Pond-weed, broad leaved 89
fine or fennel leaved 88
graſs leaved 88
horned 126
perfoliated 89
ſea 88
Poplar Tree, black 87
white 87
trembling 87
Poppy, Corn 79
red 79
ſpatling 64
yellow horned 78
Plowman's ſpikenard 11
Prick-madam 104
Prick-wood, Cornel-tree 29
Spindle-tree 36
Primroſe, common 89
Privet or Prim 59
Pudding-graſs 91
Purſlane, water 87
ſea 11
Purſley Piert 81

Q.

Quick 69
Quicken Tree 110

R.

Radiſh, Horſe 96
Water 92

	Page
Ragwort, broad leaved marſh	50
common	50
hoary perennial with Groundſel leaves	50
Ramſons	3
Raſpberry	98
Rattle, yellow	80
red marſh	80
Reed Mace	118
leſſer	118
Reſt-harrow, Corn	7
ſpinous	7
creeping	6
Ribwort Plantain	85
Roan Tree	110
Rocket, or Winter Creſſes	35
baſe	95
water	35
ſea	17
Roſe-bay, Willow herb	66
Roſe, Burnet	97
dog's red flowered	97
white flowered	97
Rue, meadow	113
wall	99
whitlow graſs	102
Rupture-wort, the leaſt	92
Ruſh, flowering	17

S.

Sage wood	103
Saint-foin	73

Saint

Page
Saint John's-wort 48
hairy 48
imperforate 49
leaſt trailing 49
upright 49
Saint Peter's-wort 49
Sallow, common round leaved 100
Salt-wort, annual 99
black 43
Sampire 30
golden 9
marſh 99
perennial 51
Sanicle 101
Satyrion Royal, male handed 76
female handed 76
Sauce alone 46
Saw-wort 105
Saxifrage, common golden 101
meadow 105
white 102
Rue-leaved 102
Scabious, common field 102
leſſer 102
Sheep's hairy 95
Scad Tree, or Scad Plumb 90
Scorpion-graſs 70
water 71
Sea Bindweed 28
Buckthorn or ſallow 96
Cabbage 15
Campion 62
Colewort 126
Pond-weed 88

	Page
Sea Holly	35
Heath ſmooth	63
Gilly-flower	111
Rocket	17
Lavender	60
Plantain	85
narrow leaved	85
Spurrey, ſmall flowered	110
Starwort	9
Scurvy-graſs	28
Self-heal	90
Sengreen, white	103
common	104
Septfoil	114
Service Tree, common	69
Setter-wort	45
Shepherd's Needle	103
Purſe	17
Rod	33
Silver Weed	80
Simſon	105
Sloe Tree	90
Smallage	8
Snap-dragon, greater	7
Sneeze-wort	91
Snow-drop	59
Soap-wort, common	63
Sorb Tree	69
Sorrel, common	54
Sheep's	54
Wood	78
Sow-bane	14

Page

Sow-thiſtle, common 109
prickly with jagged leaves 109
with leſs jagged leaves 109
ſmooth with leſs jagged leaves 109
Tree 110
Spear-thiſtle 19
Spear-wort, great 94
leſſer 94
Speedwell, or Chickweed 121
Germander 121
ivy-leaved 121
little ſmooth 121
male 121
water, narrow leaved 120
with long leaves 120
Spikenard, Plowman's 11
Spatling Poppy 64
Spindle Tree 36
Spleenwort, or Miltwaſte 9
rough 61
Spurge, broad leaved 114
dwarf, ſmall annual 113
Laurel 57
petty 113
Sun, or Wart-wort 113
Wood 113
Spurrey, Corn 4
purple 111
ſea 4
ſmall flowered 110
Squinancy-wort 98
Star-headed Water Chickweed 111
Star of the Earth 84
Thiſtle 21

	Page
Star-wort, autumnal	111
vernal	111
ſea	9
Stich-wort, greater	22
leaſt	5
leſſer	22
middle, a variety	22
Stonecrop, yellow	104
Wall Pepper	104
yellow reflexed	104
mountain	103
inſipid	104
Stone Parſley, baſtard	107
Strangle Tare	122
Strawberry	38
barren	39
trefoil	115
Succory, wild	26
Sulphur-wort	83
Sun flower, little	44
Sweet Briar	97
Swine's Creſs	71
Sycamore	1

T.

Tanſey, common	112
wild	80
Tare, common	122
everlaſting	57
hairy	30
ſmall wild	30
ſmooth	30
ſpring	122

Page

Tare, ſtrangle 122
tine 30
with ſmooth pods 30
Teaſel, wild 33
ſmall wild 33
Tent-wort 99
Thiſtle, common way, or creeping 21
Carline, dwarf 19
wild 21
Cotton 21
Marſh 20
Milk, or Lady's 20
without ſpots 20
Muſk 20
Spear 19
Star 21
up n Thiſtle 19
Welted, with ſmall flowers 20
Thorn Apple 108
Thorn, black 90
white 69
common purging 96
ſea buck 96
Thorough wax 16
Three faces under a hood 124
Thrift 111
Throat-wort, great 18
Thyme, mother of 105
Lemon 105
Tine Tare 30
with ſmooth pods 30
Toad Flax, common yellow 60
the leaſt 127
Tooth-wort 6

	Page
Tormentil	114
Cinquefoil	80
creeping	114
Tower Muſtard, hairy	117
Traveller's Joy	27
Tree, pliant mealy	122
Trefoil, Bird's foot	62
greater	61
common purple	117
Hare's-foot	115
Heart	115
Hedge-hog	115
Hop	116
leſſer	116
long leaved purple	117
Marſh	67
Melilot	127
oval headed	116
Teaſel headed	117
ſmall	116
Strawberry	115
white flowered meadow	116
Triple Ladies Traces	77
Tutſan	49
hairy	48
Turnep	95
Tway-blade, common	13
Two faces under a hood	123

V.

Valerian, great wild	118
jagged leaved	52
ſmall wild or marſh	118

Page

Venus comb 103
Vervain 119
mallow 2
Vetch Buſh 122
Crimſon graſs 23
common 122
tufted 30
wild 122
ſpring 122
tufted Horſe ſhoe 37
Kidney, or Lady's finger 124
Vetchling, common yellow baſtard 57
Medick 73
Violet, Dog's or wild 123
purple ſweet 124
Throat wort leaved 123
white 123
water 47
hairy 123
Viper's Bugloſs 33
Engliſh 33

W.

Wake Robin 8
Wall-flower 59
Penny-wort 29
Pepper 104
Rue 99
wort 101
Wart-wort 113
Water Betony 103
Caltrops, greater 88
leſſer 88

	Page
Water Crow-foot, fennel leaved	92
fine leaved	93
fineſt leaved	92
Ivy leaved	93
round leaved	94
various leaved	93
Creſſes	107
Dock, great	79
Dropwort	73
Hemlock	73
Elder	73
Figwort	103
Gladiole	17
Hemlock	83
Hemp agrimony, trifid	120
with an undivided leaf	120
Horehound	64
Lilly, white	72
yellow	73
Mill-foil, feathered or ſpiked	87
verticillated	81
Mint	107
hairy	107
with whorled coronets	68
Parſnep, creeping	108
great	107
leaſt	108
Pepper	82
Plantain, great	84
ſtar-headed	31
Purſlane	87
Ragwort	50

Page

Water Speedwell, middle long leaved 120
narrow leaved 120
Wort 111
Violet 47
Way-bread 84
Way-faring Tree 122
Weed, yellow 62
Whin 41
petty 7
White-glaſswort 14
White-rot 48
White-thorn 69
Whitlow-graſs, common 79
rue leaved 102
Williams, wild 63
Willow, common white 99
round eared ſhining 100
ſand 100
ſweet 40
Willow-herb, purple ſpiked 99
great flowered 65
greater ſmooth leaved 64
leaſt ſmooth leaved codded 65
leſſer hairy codded with ſmall flowers 65
middle ſmooth leaved 65
Roſe bay 66
yellow 65
Winter Creſſes 35
Woad, wild 62
Wood Anemone 6
Betony 12
bine 18
roof 8

	Page
Wood Pea	78
Sorrel	78
waxen	59
Sage	103
Spurge	113
Wormwood, common	1
white ſea	1
Wort, white glaſs	14
Wych Elm	125
Hazel	125

Y.

Yarrow, common	69
Yellow-weed, common	62
Yew Tree	112

INDEX

OF THE

LINNÆAN NAMES.

A.

	Page
Acer campeſtre	1
Pſeudo platenus	1
Achillea Millefolium	69
Ptarmica	91
Adoxa Moſchatellina	70
Aegopodium Podagraria	6
Aethuſa Cynapium	27
Agrimonia Eupatoria	2
Agroſtemma Githago	63
Ajuga reptans	16
Aliſma Damaſonium	31
Plantago	84
Allium vineale	3
Urſinum	3
Althæa officinalis	5
Amarantus Blitum	14
Anagallis arvenſis	5
Anchuſa ſempervirens	15
Anemone nemoroſa	6

	Page
Anethum Fœniculum	38
Angelica ſylveſtris	6
Anthemis Cotula	24
nobilis	25
Anthyllis Vulneraria	124
Antirrhinum minus	127
Elatine	60
Linaria	60
majus	7
ſpurium	60
Aphanes arvenſis	81
Apium graveolens	8
Petroſelinum	82
Aquilegia vulgaris	8
Arctium Lappa β. γ. δ.	56, 57
Arenaria marina β.	4
marina γ.	110
rubra	111
peploides	4
ſerpyllifolia	4
Artemiſia Abſinthium	1
maritima	1
vulgaris	8
Arum maculatum	8
Aſperula odorata	8
Cynanchica	98
Aſplenium Adiantum nigrum	2
Ceterach	9
Ruta muraria	99
Scolopendrium	83
Trichomanes	115
Aſtragalus glycyphyllos	9
Aſter Tripolium	9

Page

Atriplex haſtata 10
haſtata β. 11
laciniata 10
litoralis β. 11
litoralis 10
patula 10
ſerrata 10
portula coides 11
Atropa Belladona 12

B.

Ballota nigra 11
Bellis perennis 12
Berberis vulgaris 12
Beta vulgaris 12
Betonica officinalis 12
Betula alba 13
Alnus 3
Bidens tripartita 120
cernua 120
Borago officinalis 15
Braſſica Napus 71
Rapa 95
oleracea 15
Blackſtonia perfoliata 23
Bryonia alba 15
Bunium Bulbocaſtanum 16
Bunias Cakile 17
Bupleurum rotundifolium 16
tenuiſſimum 16
Butomus umbellatus 17
Buxus ſempervirens 17

C.

	Page
Calendula officinalis	126
Callitriche autumnalis	111
verna	111
Caltha paluſtris	86
Campanula rotundifolia	18
Trachelium	18
Cardamine parviflora	19
pratenſis	18
Carduus acanthoides	20
acaulos	19
criſpus	19
lanceolatis	19
Marianus	20
Marianus β.	20
nutans	20
paluſtris	20
Carlina vulgaris	21
Carpinus Betulus	78
Caucalis Anthriſcus	23
arvenſis	23
Centaurea Calcitrappa	21
Cyanus	31
Jacea	50
Scabioſa	50
Ceraſtium aquaticum	4
ſemidecandrium	24
viſcoſum	3
vulgatum	3
Ceratophyllum demerſum	126
Chærophyllum ſylveſtre	27
temulum	24

Page
Cheiranthus Cheiri 59
Chelidonium majus 79
Glaucium 78
Chenopodium album 13
Bonus Henricus 14
hybridum 26
maritimum 14
murale 14
polyſpermum 25
rubrum 14
ſerotinum 13
Vulvaria 13
urbicum 26
Chryſanthemum Leucanthemum 58
ſegetum 26
Chryſoſplenium oppoſitifolium 101
Cichoreum Intybus 26
Circœa Lutetiana 27
Ciſtus Helianthemum 44
Clematis Vitalba 27
Clinopodium vulgare 28
Cochlearia anglica 28
Armoracia 96
Coronopus 71
Conium maculatum 26
Convallaria majalis 59
Convolvulus arvenſis 28
ſepium 28
Soldanella 28
Conyza ſquarroſa 11
Cornus ſanguinea 29
Corylus Avellena 29
Cotyledon Umbilicus Veneris 29
Crambe maritima 126

	Page
Cratægus Oxyacantha	69
torminalis	69
Crepis tectorum	47
biennis	47
Crithmum maritimum	30
Cucubalus Behen	64
viſcoſus	62
Cuſcuta europæa	31
Cynogloſſum officinale	31
officinale β.	31

D.

Daphne Laureola	57
Datura Stramonium	108
Daucus Carota	32
Delphinium Conſolida	32
Dianthus Armeria	22
Digitalis purpurea	32
Dipſacus piloſus	33
ſylveſtris	33
Draba verna	79

E.

Echium anglicum	33
vulgare	33
Epilobium anguſtifolium	66
hirſutum	65
montanum	64
paluſtre	65
ramoſum	65
tetragonum	65

Page

Equiſetum arvenſe 33
fluviatile 34
paluſtre 34
ſylvaticum 34
Erica cinerea 34
Tetralix 34
vulgaris 35
Erigeron acre 9
Ervum hirſutum 30
ſolonienſe 122
tetraſpermum 30
Eryngium maritimum 35
Eryſinum Alliaria 46
Barbarea 35
officinalis 35
Euonymus europæus 36
Eupatorium cannabinum 36
Euphorbia Amygdaloides 113
exigua 113
Helioſcopia 113
Peplus 113
platyphyllos 114
Euphraſia officinalis 36
Odontites 36

F.

Fagus Caſtanea 23
ſylvaticus 37
Ficaria verna 25
Filago germanica 43
montana 43
Fragraria ſterilis 39
veſca 38

Page

Frankenia lævis 63
Fraxinus excelſior 39
Fumaria officinalis 39
claviculata 39

G.

Galanthus nivalis 59
Galeopſis Ladanum 106
Tetrahit 53
β. 53
δ. 53
Galeobdolon 54
Galium Aparine 7
uliginoſum 7
verum 40
Mollugo 70
montanum 70
paluſtre 70
Geniſta anglica 40
tinctoria 41
Gentiana Amarella 41
Centaurium 24
Geranium cicutarium 41
columbinum 42
diſſectum 42
molle 41
puſillum 42
maritimum 42
robertianum 42
Geum urbanum 21
rivale 22
Glaux maritima 43

Page

Glechoma arvenſis 106
hederacea 17
Gnaphalium ſylvaticum 43
uliginoſum 43

H.

Hedera Helix 44
Hedyſarum Onobrychis 73
Helleborus fœtidus 45
viridis 44
Heracleum Spondylium 111
Hieracium Piloſella 83
ſabaudum 46
umbellatum 46
Hippocrepis comoſa 37
Hippophae Rhamnoides 96
Hippuris vulgaris 59
Hottonia paluſtris 47
Humulus Lupulus 62
Hyacinthus non ſcriptus 48
Hydrocharis Morſus ranæ 112
Hydrocotyle vulgaris 48
Hyoſcyamus niger 48
Hypericum Androſæmum 49
hirſutum 48
humifuſum 49
montanum 49
perforatum 48
pulchrum 49
quadrangulum 49
Hypochæris radicata 46

I.

	Page
Jasione montana	95
Ilex Aquifolium	2
Inula crithmoides	9
dysenterica	29
Helenium	44
Pulicaria	29
Juniperus communis	51
Iris fœtidissima	51
Pseudacorus	51

L.

Lactuca saligna	52
Lamium album	52
amplexicaule	53
rubrum	53
Lapsana communis	54
Lathræa squamaria	6
Lathyrus latifolius	57
Nissolia	23
pratensis	57
sylvestris	57
Lemna minor	58
polyrrhiza	58
trisulca	58
Leontodon autumnale	47
hispidum	32
Taraxacum	32
Leonurus Cardiaca	19
Lepidium latifolium	59
Ligustrum vulgare	59

Page

Linum catharticum 61
perenne 61
Radiola 92
tenuifolium 60
Lithospermum officinale 61
arvense 16
Lithrum Salicaria 99
Lonicera Periclymenum 18
Lotus corniculata 62
γ. 61
Lychnis dioica 64
β. 64
Flos cuculi 63
Lycopsis arvensis 15
Lycopus europæus 64
Lysimachia nemorum 5
tenella 72
vulgaris 65
Nummularia 72

M.

Malva Alcea 2
rotundifolia 66
sylvestris 66
Marrubium vulgare 66
Matricaria Charnomilla 25
inodora 25
Parthenium 67
Medicago arabica 115
arabica γ. 115
lupulina 127
Melampyrum sylvaticum 67

Page
Meliſſa Calamintha 18
officinalis 67
Mentha aquatica 68
γ. 107
arvenſis 68
longifolia 68
rotundifolia 68
ſpicata 68
Pulegium 91
Menyanthes trifolia 67
Mercurialis annua 69
perennis 69
Myrica Gale 40
Myoſotis ſcorpioides 70
δ. 71
Myriophyllum ſpicatum 87
verticillatum 81
Myagrum ſativum 126

N.

Narciſſus Pſeudo-Narciſſus 71
Nepeta Cataria 72
Nymphæa alba 72
lutea 72

O.

Oenanthe crocata 73
fiſtuloſa 73
β. 127
Ononis arvenſis 7
repens 6
ſpinoſa 7

Page

Onopordum Acanthium 21
Ophioglossum vulgatum 73
Ophrys Anthropophora 74
apifera 74
apifera β. 77
Monorchis 75
Nidus avis 74
muscifera 75
ovata 13
spiralis 77
Orchis bifolia 74
latifolia 76
mascula 75
maculata 76
militaris 74
Morio 75
purpurea 75
pyramidalis 76
ustulata 76
Origanum onites 17
vulgare 77
Ornithopus perpusillus 77
Orobanche major 78
Orobus tuberosus 78
Osmunda spicant 61
Oxalis Acetosella 78

P.

Papaver Rhœas 79
Parietaria officinalis 79
Paris quadrifolia 45
Pastinaca sativa 79

Page
Pedicularis paluſtris 80
ſylvatica 80
Peplis Portulaca 87
Pteris aquilina 38
aquilina β. 38
Peucedanum officinale 83
Phellandrium aquaticum 83
Picris Echioides 46
Pimpinella major 83
ſaxifraga 84
β. 84
Plantago Coronopus 84
lanceolata 85
Leoflingii 85
major 84
maritima 85
media 85
Polygala vulgaris 85
Polygonum amphibium 82
aviculare 86
β. et γ. 86
Convolvulus 37
Fagopyrum 37
Hydropiper 82
penſylvanicum 82
Perſicaria 81
β. 81
Polypodium Filix mas 83
vulgare 86
Populus alba 87
nigra 87
tremula 87

Page
Potentilla Argentina 80
argentea 80
reptans 81
Potamogeton crispum 88
natans 89
marinum 88
gramineum 88
pectinatum 88
perfoliatum 89
serratum 88
Poterium Sanguisorba 101
Prenanthes muralis 52
Primula veris α. 89
β. 89
vulgaris 89
Prunella vulgaris 90
Prunus Avium 24
insititia 90
insititia β. et γ. 90
spinosa 90
Pyrus Malus 66
communis 91

Q.

Quercus Robur 91
β. 91

R.

Ranunculus acris 94
aquatilis 93
aquatilis γ. δ. 92
aquatilis β. 93
arvensis 93

Page

Ranunculus Auricomus 94
bulboſus 93
Flammula 94
hederaceus 93
Lingua 94
repens 94
ſceleratus 94
Raphanus Raphaniſtrum 96
β. 95
Reſeda lutea 95
Luteola 62
Rhamnus catharticus 96
Frangula 39
Rhinanthus Criſta galli 80
Roſa arvenſis 97
canina 97
Eglanteria 97
ſpinoſiſſima 97
Ribes rubrum 97
nigrum 96
Uva criſpa 44
Rubus cæſius 98
fructicoſus 98
Idæus 98
Rumex Acetoſa 54
Acetoſella 54
acutus 54
Britannicus 55
criſpus 55
obtuſifolius 56
pulcher 55
ſanguineus 55
Rumicis acuti varietas 55, 56

Ruſcus

Page

Ruſcus aculeatus 99

S.

Sagina erecta 5
procumbens 5
Salix alba 99
arenaria 100
amygdalina 100
capræa 100
vimenalis 100
Salicornia europæa β, 51
europæa 99
Salſola Kali 51
Salvia Verbenaca 47
Sambucus Ebulus 101
nigra 100
Samolus Valerandi 101
Sanicula europæa 101
Saponaria officinalis 63
Satyrium viride 76
Saxifraga trydactylites 102
granulata 102
Scabioſa arvenſis 102
Columbaria 102
Succiſa 102
Scandix Anthriſcus 71
Pecten Veneris 103
Sedum acre 104
annuum 103
reflexum 104
reflexum β. 104
Telephium 5
ſexangulare 104

	Page
Scleranthus annuus	52
Sempervivum tectorum	104
Senecio aquaticus	50
erucifolius	50
Jacobæa	50
ſylvaticus	127
vulgaris	105
Serapias latifolia β.	45
latifolia	45
longifolia	45
Scrophularia aquatica	103
nodoſa	103
Serratula arvenſis	21
tinctoria	105
Seſeli Caruifolia	105
Sherardia arvenſis	98
Silene amœna	62
conoidea	63
Sinapis alba	106
arvenſis	95
nigra	106
Siſon Amomum	107
inundatum	108
ſegetum	107
Siſymbrium amphibium α.	92
Naſturtium	107
Sophia	36
ſylveſtre	35
Sium latifolium	107
nodiflorum	108
Smyrnium Oluſatrum	108
Solanum Dulcamara	108
nigrum	109
Solidago Virga aurea	124

Page

Sonchus arvenſis 110
oleraceus α. β. γ. δ. 109
Sorbus aucuparia 110
Sparganium erectum β. 110
Spartium ſcoparium 40
Spergula arvenſis 4
Spiræa Filipendula 37
Ulmaria 125
Stachys paluſtris 106
ſylvatica 40
Stellaria graminea 22
graminea β. 22
Holoſtea 22
Statice Armeria 111
Limonium 60
Symphytum officinale 112

T.

Tamus communis 112
Tanacetum vulgare 112
Taxus baccata 112
Teucrium Scorodonia 103
Thalictrum flavum 113
Thlaſpi Burſa Paſtoris 17
Thymus Acinos 2
Serpyllum 105
Serpyllum ε. 105
Tordylium nodoſum 127
Tormentilla erecta 114
reptans 114
Tragopogon pratenſe 114
porrifolium 114

	Page
Trifolium agrarium	116
arvenſe	115
filiforme	116
fragiferum	115
medium	117
Meliotus officinalis	67
maritimum	117
pratenſe	117
procumbens	116
repens	116
ſcabrum	116
Tuſſilago Farfara	117
Petaſites	82
Turritis hirſuta	117
Typha latifolia	118
anguſtifolia	118

V.

Valantia Cruciata	30
Valeriana dioica	118
officinalis	118
Locuſta	118
Locuſta α.	52
Verbaſcum Lychnitis	119
nigrum	119
Thapſus	119
Verbena officinalis	119
Veronica agreſtis	121
Anagallis	120
arvenſis	121
Becabunga	120
Chamædrys	121
hederifolia	121

Page
Veronica officinalis 121
ſerpyllifolia 121
ſcutellata 120
Viburnum Lantana 122
Opulus 73
Vicia Cracca 30
Lathyroides 122
ſativa 122
ſepium 122
Vinca major 27
minor 123
Viola canina 123
hirta 123
odorata 124
odorata β. 123
tricolor; et β. 123
Viſcum album 124

U.

Ulex europæus 41
Ulmus campeſtris 125
glabra; et β. 125
Urtica dioica 126
urens 126